

e-RA - LAST UPDATE 09/16/2024

BAC #	ERA Quotation	Part Number	Item Name	MFR	Qty	Max Unit Price	Initial Proposal Closing Date
			<p>COMPUTER, DIGITAL</p> <p>DEFECT: LED'S #2 AND #3 IN RED.</p> <p>*** IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS:</p> <p>1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE #</p> <p>2) FIXED EVALUATION FEE.</p> <p>3) SERVICE OFFERED WARRANTY.</p> <p>4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. ***</p> <p>IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DESCLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12)</p> <p>ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 15 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS.</p> <p>THE TEARDOWN REPORT MUST HAVE:</p> <p>1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES.</p> <p>2 - ESTIMATED DELIVERY DATE.</p> <p>3 - SERVICE WARRANTY.</p> <p>4 - FIXE EVALUATION FEE.</p> <p>ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL.</p>				
GLRR10901P3	458/2024	0864611110000	ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE	0177B - INDI	1	US\$ 40,901.97	Oct 1, 2024, 11:00 AM (-0300)
GLR116007C2	459/2024	35-92178-0001	TEMPLATE,CONTROL RI - TEMPLATE,CONTROL RI	0117B - AIRE	1	US\$ 2,558.45	Oct 1, 2024, 11:00 AM (-0300)
GLR191020P3	461/2024	727293-1	WASHER,FLAT -	98897 - LOC	4	US\$ 62.86	Oct 1, 2024, 11:00 AM (-0300)
GLR191028P3	461/2024	728551-1	FLANGE, PRESSURE SENSING LINE, FUEL BOOST -	98897 - LOC	2	US\$ 266.65	Oct 1, 2024, 11:00 AM (-0300)
GLR191029P3	461/2024	807620-1	WASHER,DOOR YOKE -	98897 - LOC	2	US\$ 312.84	Oct 1, 2024, 11:00 AM (-0300)
GLR191031P3	461/2024	750677-1	CONNECTING LINK,RIG -	98897 - LOC	4	US\$ 13,140.2	Oct 1, 2024, 11:00 AM (-0300)
GLR191032P3	461/2024	807803-1	PIN,DOOR YOKE -	98897 - LOC	3	US\$ 1,240.92	Oct 1, 2024, 11:00 AM (-0300)
GLR191034P3	461/2024	807823-1	WASHER,CONVEX -	98897 - LOC	3	US\$ 163	Oct 1, 2024, 11:00 AM (-0300)
GLR191039P3	461/2024	923369-5	SEAL,LH, FWD TAILPIPE DOOR -	98897 - LOC	3	US\$ 341.41	Oct 1, 2024, 11:00 AM (-0300)
GLR191040P3	461/2024	923372-1	RETAINER, SEAL,LH,FWD TAILPIPE DOOR -	98897 - LOC	2	US\$ 2,800.56	Oct 1, 2024, 11:00 AM (-0300)
GLR191041P3	461/2024	808158-1	BOLT,INTERNALLY RELIEVED BODY - NSN: 5306-00-802-4755	52916 - CAP	2	US\$ 384.8	Oct 1, 2024, 11:00 AM (-0300)
GLR191042P3	461/2024	808713-1	BOLT,ACTUATING CYLINDER,MLG -	98897 - LOC	2	US\$ 718.44	Oct 1, 2024, 11:00 AM (-0300)
SPR164025F5	464/2024	2504	VALVE,CHECK - I.W. A3036-3	99215 - KAIS	4	US\$ 4,717.02	Oct 1, 2024, 11:00 AM (-0300)
GLR082006GG	444/2024	EDST300GL	ANALYZER/TESTER FOR SERVICE AND MAINTENANCE OF DME AND TACAN GROUND STATION -	82199 - ROH	1	US\$ 55,576.37	Oct 2, 2024, 11:00 AM (-0300)
GLR082018GG	444/2024	IV9420GL	VIDEOSCOPE IPLEX G LITE - VIDEOSCOPE IPLEX G LITE	1KY21 - OLYI	1	US\$ 62,145.59	Oct 2, 2024, 11:00 AM (-0300)
GLR082019GG	444/2024	EV6500	PORTABLE ULTRAVIOLET LED LIGHT AND WHITE LIGHT FIXTURE - PORTABLE ULTRAVIOLET LED LIGHT AND WHITE LIGHT FIXTURE	37676 - ILLIN	2	US\$ 2,730.55	Oct 2, 2024, 11:00 AM (-0300)
GLR082020GG	444/2024	V1	STANDARD BLOCK - CALIBRATION BLOCK - ALLOY: TYPE 304 STAINLESS STELL - DELIVERY WITH CERTIFICATE OF CONFORMITY AND CALIBRATION	D1260 - GEI	2	US\$ 1,788.27	Oct 2, 2024, 11:00 AM (-0300)
GLR082021GG	444/2024	V2	STANDARD BLOCK - CALIBRATION BLOCK - ALLOY: TYPE 304 STAINLESS STELL AND SPECIFY BLOCK WIDTH: 20 MM - DELIVERY WITH CERTIFICATE OF CONFORMITY AND CALIBRATION	D1260 - GEI	2	US\$ 1,463.29	Oct 2, 2024, 11:00 AM (-0300)
GLR109017GG	444/2024	121630-001	ANALYZER-CHARGER,BATTERY, AC VOLTAGE RATING 187.0 VOLTS MINIMUM AND 265.0 VOLTS MAXIMUM - ANALYZER-	02294 - MAF	4	US\$ 15,309.73	Oct 2, 2024, 11:00 AM (-0300)
GLR109018GG	444/2024	FLIR E96	CHARGER,BATTERY, AC VOLTAGE RATING 187.0 VOLTS MINIMUM AND 265.0 VOLTS MAXIMUM	64869 - TELE	2	US\$ 17,747.41	Oct 2, 2024, 11:00 AM (-0300)
GLR128003GG	444/2024	NEC-6151-SD	ADVANCED THERMAL IMAGING CAMERA - MODEL: FLIR - E96 24º + 42º	65DT8 - OLY	2	US\$ 3,658.23	Oct 2, 2024, 11:00 AM (-0300)
GLR128004GG	444/2024	AH2700A	REFERENCE STANDARD -	4J977 - AND	1	US\$ 37,450.49	Oct 2, 2024, 11:00 AM (-0300)
GLR109004C1	460/2024	M47382-100	MULTI-FREQUENCY CAPACITANCE/LOSS BRIDGE -	1JJE1 - HYDF	2	US\$ 417.87	Oct 2, 2024, 11:00 AM (-0300)
GLR109006C1	460/2024	98F10007509000	FIXTURE,AIRCRAFT MAINTENANCE - FIXTURE,AIRCRAFT MAINTENANCE	FAPE3 - AIRE	3	US\$ 573.92	Oct 2, 2024, 11:00 AM (-0300)
GLR109008C1	460/2024	98F32204001000	PLUG-APU,OILCOOLER OUTLET - PLUG-APU,OILCOOLER OUTLET	FAPE3 - AIRE	2	US\$ 702.48	Oct 2, 2024, 11:00 AM (-0300)
GLR109014C1	460/2024	HU40324	SAFETY COLLAR-DOOR NLG - SAFETY COLLAR-DOOR NLG	K0378 - ROL	1	US\$ 330	Oct 2, 2024, 11:00 AM (-0300)
GLR194011P3	472/2024	828721-1	TURNING TOOL-IP SYSTEM - TURNING TOOL-IP SYSTEM	98897 - LOC	6	US\$ 647.47	Oct 3, 2024, 11:00 AM (-0300)
GLR172003C1	465/2024	NE102666-0934AS	RETAINER,DOOR -	00624 - EAT	20	US\$ 397.55	Oct 3, 2024, 11:00 AM (-0300)
GLR173008C1	465/2024	HU89026-001	COUPLING-V,BAND -	K0378 - ROL	6	US\$ 6,307.56	Oct 3, 2024, 11:00 AM (-0300)
			COVER - TAI OUTLET -				

G1R173009C1	465/2024	64300-110	HEADSET	81205 - THE 12	US\$ 648.08	Oct 3, 2024, 11:00 AM (-0300)
G1R240006C1	465/2024	M3200-202	BOX,TRASH COMPACTOR -	0HHA7 - AEF 500	US\$ 41.75	Oct 3, 2024, 11:00 AM (-0300)
G1R173010C1	466/2024	3-1546	MAIN WHEEL - WHEEL, LANDING GEAR	0ZC54 - BFG 3	US\$ 84,830.13	Oct 3, 2024, 11:00 AM (-0300)
G1R136001GG	467/2024	62-400-15	SPEED CONTROLLER, 500 AMP -	08786 - TAYI 5	US\$ 1,743.134	Oct 3, 2024, 11:00 AM (-0300)
G1R178014GG	467/2024	79-303-41	CHARGER,BATTERY -	94364 - SIGN 7	US\$ 681.12	Oct 3, 2024, 11:00 AM (-0300)
G1R195003GG	467/2024	00166-289-000	SWIVEL CASTOR -	001JK - EMB 4	US\$ 267.22	Oct 3, 2024, 11:00 AM (-0300)
G1R215002GG	467/2024	9403360	PROBE,EDDY CURRENT -	1KY21 - OLYI 4	US\$ 488.46	Oct 3, 2024, 11:00 AM (-0300)
G1R215003GG	467/2024	9403405	PROBE,EDDY CURRENT - ONLY OEM	1KY21 - OLYI 3	US\$ 285.89	Oct 3, 2024, 11:00 AM (-0300)
G1R215004GG	467/2024	MTF9003-60-200K-1M	MTF9003-60-200K-1M - ONLY OEM	1KY21 - OLYI 3	US\$ 280.06	Oct 3, 2024, 11:00 AM (-0300)
G1R220002GG	467/2024	MTF902-60-200K-1M	MTF9003-60-200K-1M - ONLY OEM	1KY21 - OLYI 3	US\$ 361.74	Oct 3, 2024, 11:00 AM (-0300)
G1R220003GG	467/2024	9403411	PROBE,EDDY CURRENT - ONLY OEM	1KY21 - OLYI 3	US\$ 326.73	Oct 3, 2024, 11:00 AM (-0300)
G1R220004GG	467/2024	9403359	PROBE,EDDY CURRENT - ONLY OEM	1KY21 - OLYI 3	US\$ 285.89	Oct 3, 2024, 11:00 AM (-0300)
G1R220005GG	468/2024	MTF-60	PROBE,EDDY CURRENT - ONLY OEM	1KY21 - OLYI 3	US\$ 303.39	Oct 3, 2024, 11:00 AM (-0300)
G1R220007GG	468/2024	P/100KHZ-500KHZ/AU	PROBE,EDDY CURRENT - ONLY OEM	1KY21 - OLYI 2	US\$ 735.15	Oct 3, 2024, 11:00 AM (-0300)
G1R221001GG	468/2024	SPO-6396	CABLE, EDDY CURRENT - ONLY OEM	1KY21 - OLYI 1	US\$ 1,581.15	Oct 3, 2024, 11:00 AM (-0300)
G1R221002GG	468/2024	9322075	RIGHT-ANGLE PROBE - ONLY OEM	1KY21 - OLYI 3	US\$ 3,932.45	Oct 3, 2024, 11:00 AM (-0300)
G1R225001GG	468/2024	9213554	PROBE,EDDY CURRENT - ONLY OEM	1KY21 - OLYI 2	US\$ 1,172.73	Oct 3, 2024, 11:00 AM (-0300)
G1R225002GG	468/2024	9117789	CONNECTING CABLE - ONLY OEM	1KY21 - OLYI 3	US\$ 956.86	Oct 3, 2024, 11:00 AM (-0300)
G1R225003GG	468/2024	9230259	CABLE ASSEMBLY,RADI - ONLY OEM	1KY21 - OLYI 2	US\$ 320.9	Oct 3, 2024, 11:00 AM (-0300)
G1R235001GG	468/2024	9122244	FISCHER-STYLE TRIAX - ONLY OEM	29192 - OLYI 4	US\$ 280.06	Oct 3, 2024, 11:00 AM (-0300)
G1R236001GG	468/2024	70-109-00	BRUSH SET,ELECTRICA -	08786 - TAYI 10	US\$ 91.06	Oct 3, 2024, 11:00 AM (-0300)
G1R022014C8	469/2024	727-1376/01	FLASHLIGHT	A4582 - LEO 12	US\$ 3,679	Oct 3, 2024, 11:00 AM (-0300)
G1R191045P3	470/2024	924515-1	WIRING HARNESS-SWITCH ASSEMBLY -	98897 - LOC 3	US\$ 25,108.19	Oct 3, 2024, 11:00 AM (-0300)
G1R191046P3	470/2024	924516-1	HARNESS ASSEMBLY -	98897 - LOC 1	US\$ 31,658	Oct 3, 2024, 11:00 AM (-0300)
G1R191049P3	470/2024	972283-101	GASKET -	98897 - LOC 1	US\$ 414.74	Oct 3, 2024, 11:00 AM (-0300)
G1R191068P3	470/2024	810645-1	BOLT -	98897 - LOC 6	US\$ 547.84	Oct 3, 2024, 11:00 AM (-0300)
G1R192001P3	470/2024	813668-1	STUD, SHOULDRED -	98897 - LOC 2	US\$ 3,647.73	Oct 3, 2024, 11:00 AM (-0300)
G1R192018P3	470/2024	MS21919DG6	CLAMP MS21919-WDG 6 -	96906 - MILI 30	US\$ 3.25	Oct 3, 2024, 11:00 AM (-0300)
G1R192025P3	470/2024	AN737TW107	CLAMP,HOSE, INSIDE DIA 2.406 IN MINIMUM AND 3.344 IN, WIDTH 0.500 IN, STEEL CORROSION RESISTING -	88044 - AERI 10	US\$ 10.48	Oct 3, 2024, 11:00 AM (-0300)
G1R192031P3	470/2024	AN960-1016	WASHER,FLAT -	88044 - AERI 90	US\$ 1.13	Oct 3, 2024, 11:00 AM (-0300)
G1R192033P3	470/2024	MS20004H10	BOLT,INTERNAL WRENC	96906 - MILI 8	US\$ 13.26	Oct 3, 2024, 11:00 AM (-0300)
G1R192034P3	470/2024	MS20004-12	BOLT -	96906 - MILI 20	US\$ 23.35	Oct 3, 2024, 11:00 AM (-0300)
G1R192035P3	471/2024	904341-53	TUBE ASSEMBLY,METAL -	98897 - LOC 1	US\$ 725.42	Oct 3, 2024, 11:00 AM (-0300)
G1R192036P3	471/2024	LS9365-517-4-6	SCREW,MACHINE -	98897 - LOC 440	US\$ 3.44	Oct 3, 2024, 11:00 AM (-0300)
G1R192037P3	471/2024	LS9362-1153-5	SCREW,CLOSE TOLERANCE -	06710 - VALI 30	US\$ 8.23	Oct 3, 2024, 11:00 AM (-0300)
G1R192038P3	471/2024	AN960-D10	WASHER,FLAT -	88044 - AERI 800	US\$ 0.14	Oct 3, 2024, 11:00 AM (-0300)
G1R192039P3	471/2024	905909-1	FAIRLEAD ASSY, RUDDER CONTROL -	98897 - LOC 2	US\$ 27,858.33	Oct 3, 2024, 11:00 AM (-0300)
G1R192040P3	471/2024	LS881-2	WASHER,FLAT -	98897 - LOC 65	US\$ 1.63	Oct 3, 2024, 11:00 AM (-0300)
G1R192041P3	471/2024	LS881-7	WASHER,FLAT, HOLE DIA 0.203 IN CROSS-SECTIONAL RECTANGULAR, THICK 0.064 IN, OVERALL DIA 3/4 IN -	98897 - LOC 50	US\$ 2.37	Oct 3, 2024, 11:00 AM (-0300)
G1R192042P3	471/2024	907332-1	PULLEY ASSEMBLY -	98897 - LOC 2	US\$ 1,202.49	Oct 3, 2024, 11:00 AM (-0300)
G1R192044P3	471/2024	908004-1	PANEL, FWD, UNDERWING, LH, WING TO FUSELAGE FILLET FUS STA 575 TO 610 -	98897 - LOC 1	US\$ 487.47	Oct 3, 2024, 11:00 AM (-0300)
G1R192047P3	471/2024	AN960D6	WASHER,FLAT -	58009 - MOI 30	US\$ 11.87	Oct 3, 2024, 11:00 AM (-0300)
G1R192048P3	472/2024	BRE8858L	BEARING,PLAIN,ROD END -	81376 - RBC 2	US\$ 2,357.02	Oct 3, 2024, 11:00 AM (-0300)
G1R192050P3	472/2024	LS3859F18-22	BUSHING,SLEEVE, FLANGED -	96421 - DEP 8	US\$ 300	Oct 3, 2024, 11:00 AM (-0300)
G1R192052P3	472/2024	ER832D1008	REDUCER,TUBE -	50948 - PAR 1	US\$ 968.42	Oct 3, 2024, 11:00 AM (-0300)
G1R192054P3	472/2024	914205-1	DECAL -	98897 - LOC 1	US\$ 758.49	Oct 3, 2024, 11:00 AM (-0300)
G1R192056P3	472/2024	LS1650-3	RETAINER,CABLE -	98897 - LOC 15	US\$ 7.37	Oct 3, 2024, 11:00 AM (-0300)
G1R194003P3	472/2024	LS1588-10	WASHER,FLAT -	98897 - LOC 3	US\$ 37.92	Oct 3, 2024, 11:00 AM (-0300)
G1R194006P3	472/2024	LS967-12	NUT -	36659 - LOC 2	US\$ 88.34	Oct 3, 2024, 11:00 AM (-0300)
G1R194007P3	472/2024	LS967-8	NUT -	36659 - LOC 6	US\$ 151.11	Oct 3, 2024, 11:00 AM (-0300)
G1R194008P3	472/2024	M39012/30-0225	CONNECTOR,PLUG,ELECTRICAL -	81349 - MILI 4	US\$ 640.82	Oct 3, 2024, 11:00 AM (-0300)
G1R194013P3	473/2024	908829-1	GROMMET,NONMETALLIC -	98897 - LOC 1	US\$ 150.08	Oct 3, 2024, 11:00 AM (-0300)
G1R205001P3	473/2024	4666	BEARING BALL -	43991 - FAG 10	US\$ 11.67	Oct 3, 2024, 11:00 AM (-0300)
G1R205002P3	473/2024	58497	VALVE,QUICK RELEASE -	81982 - HYD 4	US\$ 4,362.72	Oct 3, 2024, 11:00 AM (-0300)
LSR086023T9	474/2024	1101020-22	LAP BELT ASSEMBLY - Part Type:Accessory Manufactuer (OEM):Meggitt Pacific Scientific HTL	45402 - MEC 4	US\$ 204.21	Oct 3, 2024, 11:00 AM (-0300)
LSR192002T9	474/2024	41-0736-1	LENS,LIGHT, COLOR RED - LENS,LIGHT, COLOR RED	72914 - GRII 6	US\$ 5,779.01	Oct 3, 2024, 11:00 AM (-0300)
LSR192003T9	474/2024	164	INDICATOR,LIFT - INDICATOR,LIFT projeto T-25	83326 - SAFI 15	US\$ 2,864	Oct 3, 2024, 11:00 AM (-0300)
LSR194003T9	474/2024	LW13383	BAFFLE OIL SUM - MATERIAL APLICADO NA ANV T-25 UNIVERSAL	80254 - TEXT 11	US\$ 267	Oct 3, 2024, 11:00 AM (-0300)
LSR197002T9	474/2024	2524864-2	NOZZLE,FUEL INJECTION -	80254 - TEXT 42	US\$ 145.67	Oct 3, 2024, 11:00 AM (-0300)
LSR197003T9	474/2024	78290	TAPPET,ENGINE POPPET VALVE -	80254 - TEXT 82	US\$ 150.78	Oct 3, 2024, 11:00 AM (-0300)

LSR199002T9	474/2024	REM38E	SPARK PLUG -	86850 - FALS	180	US\$ 55.26	Oct 3, 2024, 11:00 AM (-0300)
			GASKET - Coordenador do projeto T-25 Ten Breno - PamaLS projeto T9/T-25 weightlbs .01 dimensions3.69 × 3.69 × 07 pol. brand Lycoming				
LSR199003T9	474/2024	LW12681		R1120 - SAT	20	US\$ 2.93	Oct 3, 2024, 11:00 AM (-0300)
LSR199004T9	474/2024	74389	BUSHING -	80254 - TEXT	132	US\$ 27.6	Oct 3, 2024, 11:00 AM (-0300)
LSR199007T9	474/2024	STD425	WASHER -	80254 - TEXT	72	US\$ 1.75	Oct 3, 2024, 11:00 AM (-0300)
			REGULATOR,ENGINE GENERATOR - REGULATOR,ENGINE GENERATOR DESCRIPTION Brandm BOSCH Manufacturer part number 0192033004 Weight 0.3 kg Group BOSCH 1				
LSR201003T9	475/2024	0192033004		53867 - ROB	22	US\$ 259.61	Oct 3, 2024, 11:00 AM (-0300)
LSR205015T9	475/2024	STD347	MANGUEIRA -	80254 - TEXT	66	US\$ 9.81	Oct 3, 2024, 11:00 AM (-0300)
LSR213015T9	475/2024	UKP550048	55/P, GRAY, ANRN 9.5R, MIC5R, MED -	72724 - GEN	2	US\$ 6,971.64	Oct 3, 2024, 11:00 AM (-0300)
LSR213016T9	475/2024	UKP550049	55/P, GRAY, ANRN 9.5R, MIC5R, LAR -	72724 - GEN	2	US\$ 6,971.64	Oct 3, 2024, 11:00 AM (-0300)
LSR213017T9	475/2024	UKP550050	55/P, GRAY, ANRN 9.5R, MIC5R, X-LAR -	72724 - GEN	2	US\$ 6,971.64	Oct 3, 2024, 11:00 AM (-0300)
LSR215004T9	475/2024	MS26574-4A	CIRCUIT BREAKER -	96906 - MILI	8	US\$ 116.69	Oct 3, 2024, 11:00 AM (-0300)
LSR218002T9	475/2024	MS26574-10A	CIRCUIT BREAKER -	96906 - MILI	12	US\$ 56.78	Oct 3, 2024, 11:00 AM (-0300)
LSR218003T9	475/2024	J6984-8	MOUNT,RESILIENT,WEAPON SYSTEM -	76005 - LOR	25	US\$ 8.1	Oct 3, 2024, 11:00 AM (-0300)
LSR218004T9	475/2024	MS3367-1-9	STRAP,TIE DOWN,ELEC -	96906 - MILI	500	US\$ 19.84	Oct 3, 2024, 11:00 AM (-0300)
LSR219003T9	475/2024	MS3108B10SL4S	CONNECTOR,PLUG,ELECTRICAL -	96906 - MILI	8	US\$ 61.26	Oct 3, 2024, 11:00 AM (-0300)
LSR219004T9	476/2024	MS21919WCH4	CLAMP,LOOP -	96906 - MILI	80	US\$ 2.53	Oct 3, 2024, 11:00 AM (-0300)
			HOSE,AIR DUCT,ROUND,INSIDE DIAMETER 2 IN,SPECIFICATION MIL-H-8796 - Coordenador Tenente Breno - PamaLS Projeto T-25 Country of Origin United States Size 2" Shipping Weight 0.5 pounds ECCN EAR99 Color Family Red Manufacturer P/N SCEET8 Schedule B Code 4009.21.0000 Series SCEET Diameter 2" Length 11' Color Red Material Silicone Rubber				
LSR199001T9	476/2024	SCEET8		21868 - FALS	15	US\$ 16.15	Oct 3, 2024, 11:00 AM (-0300)

PBRR20701EO	477/2024	ANV126A-001	<p>REPAIRING THE MALFUNCTION INDICATOR DUE TO THE FOLLOWING ERRORS: 1- # 388.</p> <p>IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS:</p> <p>1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE #</p> <p>2) FIXED EVALUATION FEE.</p> <p>3) SERVICE OFFERED WARRANTY.</p> <p>4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. ***</p> <p>IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DECLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12)</p> <p>ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 45 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS.</p> <p>THE TEARDOWN REPORT MUST HAVE:</p> <p>1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES.</p> <p>2 - ESTIMATED DELIVERY DATE.</p> <p>3 - SERVICE WARRANTY.</p> <p>4 - FIXE EVALUATION FEE.</p> <p>ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL.</p> <p>ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE PROVIDED PRIOR TO THE UNIT SHIPMENT.</p>	06097 - HOF 1	US\$ 1,500	Oct 3, 2024, 11:00 AM (-0300)
PBRR20001EO	477/2024	ANV-126-085	<p>MAINTENANCE KIT, ELECTRONIC EQUIPMENT THIS IS A BENCH CALIBRATION SERVICE COMPOSED OF PRECISION METERS THAT MEASURE VOLTAGE, LIGHT, CURRENT INTENSITY AND RESISTANCE THE SERVICE IN QUESTION MUST BE SHOULD BE PERFORMED AGAINST DEFINED STANDARDS, PHYSICAL CONSTANTS AND/OR STANDARDIZED METHODS MAINTAINED BY THE LABORATORIES. PERIODIC REPAIR PROVIDE FOR IN THE MANUAL TM ANV-126A-085-CAL.</p> <p>IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS:</p> <p>1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE #</p> <p>2) FIXED EVALUATION FEE.</p> <p>3) SERVICE OFFERED WARRANTY.</p> <p>4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. ***</p> <p>IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DECLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12)</p> <p>ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 45 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS.</p> <p>THE TEARDOWN REPORT MUST HAVE:</p> <p>1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES.</p> <p>2 - ESTIMATED DELIVERY DATE.</p> <p>3 - SERVICE WARRANTY.</p> <p>4 - FIXE EVALUATION FEE.</p> <p>ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL.</p> <p>ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE PROVIDED PRIOR TO THE UNIT SHIPMENT.</p>	06097 - HOF 1	US\$ 6,231.3	Oct 3, 2024, 11:00 AM (-0300)

			MAINTENANCE KIT, ELECTRONIC EQUIPMENT - THIS IS A BENCH CALIBRATION SERVICE COMPOSED OF PRECISION METERS THAT MEASURE VOLTAGE, LIGHT, CURRENT INTENSITY AND RESISTANCE THE SERVICE IN QUESTION MUST BE SHOULD BE PERFORMED AGAINST DEFINED STANDARDS, PHYSICAL CONSTANTS AND/OR STANDARDIZED METHODS MAINTAINED BY THE LABORATORIES. PERIODIC REPAIR PROVIDE FOR IN THE MANUAL TM ANV-126A-085-CAL. IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS: 1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE # 2) FIXED EVALUATION FEE. 3) SERVICE OFFERED WARRANTY. 4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. *** IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DECLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12) ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 45 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS. THE TEARDOWN REPORT MUST HAVE: 1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES. 2 - ESTIMATED DELIVERY DATE. 3 - SERVICE WARRANTY. 4 - FIXE EVALUATION FEE. ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL. ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE PROVIDED PRIOR TO THE UNIT SHIPMENT.			
PBRR20002EO	477/2024	ANV-126-085		06097 - HOF 1	US\$ 6,231.3	Oct 3, 2024, 11:00 AM (-0300)
GLR205021P3	480/2024	MS21919WG5	CLAMP, LOOP -	96906 - MIL 5	US\$ 43.18	Oct 3, 2024, 11:00 AM (-0300)
LSR205002BR	481/2024	810722	SEMICONDUCTOR DEVICE, DIODE	21439 - ENG 205	US\$ 0.41	Oct 7, 2024, 11:00 AM (-0300)
GLR190003P3	482/2024	40108	SWITCH, SENSITIVE -	02005 - HAY 1	US\$ 10,844.71	Oct 7, 2024, 11:00 AM (-0300)
GLR129004C8	427/2024	ADTS553F	TESTER, PITOT AND STATIC SYSTEMS -	U1BA7 - GE 2	US\$ 44,310.42	Sep 17, 2024, 11:00 AM (-0300)
SPR199001PE	428/2024	TG8498-50	SEALER, CHEMICAL - TG8498-50 GRAY 1:1 THIXOFLEX. WATERTIGHT, FLEXIBLE. URETHANE INJECTABLE SEALANT - 50CC CARTRIDGE. SHELF LIFE: 90% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	1NPE1 - AVI 20	US\$ 72.94	Sep 17, 2024, 11:00 AM (-0300)
SPR199003PE	428/2024	HT3326-5-50	SEALING COMPOUND - HT3326-5-50, SELF-LEVELING GREEN. WATERTIGHT, FLEXIBLE. POLYURETHANE INJECTABLE SEALANT - 50CC CARTRIDGE. SHELF LIFE: 90% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	1NPE1 - AVI 21	US\$ 85.3	Sep 17, 2024, 11:00 AM (-0300)
SPR197002TS	428/2024	M85285-1-H-36293-002G	POLYURETHANE COATING - FLAT GRAY FED-STD 595 36293 - KIT EQUAL TO 2 GALLONS (7.57 LITERS) - POLYURETHANE COATING, AERONAUTICAL APPLICATION, HIGH SOLIDS, FLAT GRAY FED-STD-585 36293, MIL-PRF-85285C TYPE I CLASS H, ASSIST DLA APPROVED QPL-85285, CONSISTING OF COMPONENT A (PIGMENTED POLYESTER RESIN AND SOLVENT) AND COMPONENT B (CLEAR ALIPHATIC ISOCYANATE) TO EQUAL 2 GALLONS, UNIT OF ISSUE: 2 GALLON KIT (PART A AND PART B), SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE	81349 - MIL 6	US\$ 1,510.06	Sep 17, 2024, 11:00 AM (-0300)
SPR197003PE	428/2024	RTV-3428 A+B	SILICONE COMPOUND - BLUESIL (RHODORSIL) RTV 3428 A/B, TWO COMPONENT SILICONE ELASTOMER, ANY COLOUR, UNIT OF ISSUE: 1.1 KG KIT. SHELF LIFE: 80% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	FAK74 - ELK 2	US\$ 139.18	Sep 17, 2024, 11:00 AM (-0300)
SPR197001TS	428/2024	M85285-1-H-34097-002G	POLYURETHANE COATING - FLAT GREEN FED-STD 595 34097 , MIL-PRF-85285C TYPE I CLASS H, ASSIST DLA APPROVED QPL-85285, CONSISTING OF COMPONENT A (PIGMENTED POLYESTER RESIN AND SOLVENT) AND COMPONENT B (CLEAR ALIPHATIC ISOCYANATE) TO EQUAL 2 GALLONS, UNIT OF ISSUE: 2 GALLON KIT (PART A AND PART B), SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE	81349 - MIL 5	US\$ 1,510.06	Sep 17, 2024, 11:00 AM (-0300)
SPR135002PE	429/2024	DURALAC-250ML	ANTI-CORROSIVE JOINING COMPOUND, DTD 369B, 250 ML CAN - DURALAC-250ML, TIN YELLOW ANTI-CORROSIVE COMPOUND, DTD 369B, 250 ML CAN, SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT.	K3708 - LLEV 2	US\$ 67.24	Sep 17, 2024, 11:00 AM (-0300)
SPR120011TS	430/2024	AEROWAVE 5001 TOPCOAT	POLYURETHANE TOPCOAT - AKZO AEROWAVE 5001 GLOSS GREY POLYURETHANE TOPCOAT SPEC: SP-J-513-C-0083, TYPE III, CLASS A SP-J-513-C-0083, TYPE III, CLASS B ECS-L-0097 B52X 34 TYPE A AND B BASE MATERIAL: AEROWAVE 5001 CURING SOLUTION: CURING SOLUTION 6002 THINNER: D.I. WATER OR TAP WATER UF: KIT OF 3 CANS OF 5L (A+B+C). ONLY OEM. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE	91342 - AKZ 20	US\$ 1,350	Sep 17, 2024, 11:00 AM (-0300)
SPR096001PE	431/2024	LOCTITE AA F246	TAPE, ADHESIVE PAPER HEAT RESISTING MASKING - HENKEL LOCTITE AA F246 (ADHESIVE) WITH SF INI 5 (ACTIVATOR) IS A TWO COMPONENT TOUGHENED, HIGH VISCOSITY, HIGH STRENGTH, MODIFIED METHACRYLATE ESTER, LIQUID ACRYLIC ADHESIVE SYSTEM FOR STRUCTURAL BONDING. SIZE: 50ML KIT. SUPPLY MATERIAL WITH 85% SHELF LIFE.	05972 - LOC 10	US\$ 43.1	Sep 17, 2024, 11:00 AM (-0300)

			PRECISION STEEL PIN GAGE SET - Range (in): .011-.060" (+) Set Type: Plus Material: Hardened Tool Steel Number of Gages: 50 Accuracy (in): 0.0002"				
SPR178004A7	432/2024	S4000-060		28318 - STA1	1	US\$ 145.48	Sep 17, 2024, 11:00 AM (-0300)
SPR185027T2	432/2024	E202A006	DIRECTING BOX,AIRCR - NHA 2606-9000-901	F0554 - ALK4	4	US\$ 14,311.47	Sep 17, 2024, 11:00 AM (-0300)
SPR185031T9	432/2024	41-0190-1	MOTOR,DIRECT CURRENT - PN ALT A7610 NSN 6105-01-418-6951	72914 - GRIF	14	US\$ 291.73	Sep 17, 2024, 11:00 AM (-0300)
SPR185034F5	432/2024	6041T18G03	STACK RING LINER AFTERBURNER - ALT: 6041T18G04	99207 - GEN	1	US\$ 43,785.47	Sep 17, 2024, 11:00 AM (-0300)
			GREASE,MOLYBDENUM DISULFIDE - GREASE,MOLYBDENUM DISULFIDE - MOLYKOTE 3400 A, LUBRICANT, ANTI-FRICTION COATING (LEAD FREE), CORROSION PROTECTION, GOOD SOLVENTE RESISTENCE, AERONAUTICAL APPLICATON, 0,5 KG EA, SHELF LIFE 60% - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER - EDT 60 DAYS MAXIMUM.THE PACKAGING MUST COMPLY WITH IATA LEGISLATION (REF.:UN1993).	F7286 - DOV	92	US\$ 164.65	Sep 17, 2024, 11:00 AM (-0300)
SPR193004PE	432/2024	MOLYKOTE 3400 A		F0554 - ALK4	10	US\$ 1,865.87	Sep 17, 2024, 11:00 AM (-0300)
SPR156002T2	432/2024	1216-262-400D	FITTING,STRUCTURALCOMPONENT,BOMB RACK -				
SPR199002F5	433/2024	836525-5	COMPONENT ASSY,STABILITY - NSN 6615-01-045-7350 - We accept alternates: 836525-3A and 836525-7 (NSN 6615-010477646)	98571 - TELE	1	US\$ 40,958.19	Sep 17, 2024, 11:00 AM (-0300)
SPR199004F5	433/2024	103SA176	BEARING, BALL -	45934 - ONT	20	US\$ 52.51	Sep 17, 2024, 11:00 AM (-0300)
			CORROSION RESISTANT COATING,CHEMICALLY TREATED ALUMINUM, SPEC MIL-DTL-81706A TY1CL1AFM2MEB - CHROMATE CONVERSION COATING, FOR ALUMINUM AND ALUMINUM ALLOYS, POWER FORM, SPEC: MIL-DTL-81706B TYPE I, CLASS 1A FORM II METHOD B. QPL-81706. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE AND LOTE. SHELF LIFE MINIMUM: 80%. UNIT OF ISSUE: 1KG CAN.	04347 - HEN	5	US\$ 229	Sep 17, 2024, 11:00 AM (-0300)
SPR164018PQ	434/2024	BONDERITE M-CR 1200S AERO					
			PRIMER CLEAR - PRIMER CLEAR - 1200 OS PRIMER, NSN: 8040-01-626-7950. USAGE DESIGN: FOR PROMOTING ADHESION OF SILICONE ELASTOMERS AND FOAMS TO MANY SUBSTRATES. COLOR CLEAR. UI: CAN OF 500 ML. ONLY OEM. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE. EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER. SHELF LIFE: 80% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	71984 - DOV	9	US\$ 57.65	Sep 17, 2024, 11:00 AM (-0300)
SPR170149PE	434/2024	1200 OS PRIMER					
SPR170151PQ	434/2024	NORDIC DESCALING AGENT	NORDIC RENGÖRINGSVÄTSKA - 0,5L - NORDIC RENGÖRINGSVÄTSKA, NORDIC DESCALING AGENT. UF: 500ML. ONLY OEM. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE	A166N - SAA	12	US\$ 11.72	Sep 17, 2024, 11:00 AM (-0300)
			CLEANING COMPOUND, ALUMINUM SURFACE - CEE-BEE INTEX 8046, CLEANER POLISH FOR PAINTED EXTERIOR SURFACES, CLEANING COMPOUND, ALUMINUM SURFACE, VISCOUS, OFF-WHITE, ALKALINE LIQUID, HYDROCARBON BASED. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. UNIT OF ISSUE: 5 GALLON PAIL. SHELF LIFE: 80%.	8Z357 - CAL	5	US\$ 427.29	Sep 17, 2024, 11:00 AM (-0300)
SPR164016PQ	434/2024	INTEX 8046					
SPR170147PQ	434/2024	NORDIC AQUA 600 CLEAR COAT	NORDIC AQUA 600 CLEAR COAT - NORDIC AQUA 600 CLEAR COAT. UF: 4L. ONLY OEM. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE	A166N - SAA	6	US\$ 1,486.05	Sep 17, 2024, 11:00 AM (-0300)
SPR170148PQ	434/2024	NORDIC AQUA 600 HARDENER	NORDIC AQUA 600 HARDENER - 1L - NORDIC AQUA 600 HARDENER . UF: 1L. ONLY OEM. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE	A166N - SAA	4	US\$ 136	Sep 17, 2024, 11:00 AM (-0300)
SPR163053PQ	435/2024	AER3019	WATER DETECTOR - AVIATION FUEL TEST KIT, WATER DETECTOR. SHELF LIFE: 90%. UI: 08 EA PER BOX.	54527 - SHEI	21	US\$ 176.08	Sep 17, 2024, 11:00 AM (-0300)
			SEALING COMPOUND, PASTE, WORKING TIME 2 HOURS, SEMKIT 654 - PPG PR1771 B-2, CORROSION INHIBITIVE SEALANT, TWO-PART, NON-CHROMATE, LOW GRAVITY, MANGANESE DIOXIDE CURED POLYSULFIDE COMPOUND, UNIT OF ISSUE: 100 ML CARTRIDGE (MODEL 654 SEMKIT) - SHELF LIFE 75% - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS, ALTERNATE PRODUCTS MAY BE OFFERED IF SUFFICIENT TECHNICAL INFORMATION IS PROVIDED IN ORDER TO QUALIFY IT AS SUCH.	F0229 - LE JC	12	US\$ 112.5	Sep 17, 2024, 11:00 AM (-0300)
SPR164011PE	435/2024	PR1771B2SEMKIT654					
SPR176003PE	435/2024	PR 1782 B - 2 SEMKIT 655	SEALING COMPOUND - PPG AEROSPACE PR-1782 B-2 SEMKIT 655. SEALING COMPOUND. UI: 2.5OZ CARTRIDGE, SHELF LIFE: 85% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	F0229 - LE JC	40	US\$ 82.06	Sep 17, 2024, 11:00 AM (-0300)
			HEAT RESISTANT SEALANT SILICONE RED - 300ML CARTRIDGE - DOW DOWSIL 736, RED, HEAT RESISTANT, RTV SEALANT, MIL-A-46106 GROUP III TYPE I , UNIT OF ISSUE: 300 ML CARTRIDGE. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	71984 - DOV	28	US\$ 27.33	Sep 17, 2024, 11:00 AM (-0300)
SPR163029PE	435/2024	RTV-736					
SPR158007PQ	435/2024	WD-40 SPRAY 16 OZ	CORROSION PREVENTIVE COMPOUND - CORROSION PREVENTIVE COMPOUND. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. UI: CAN OF 16 OZ - SHELF LIFE: 80%	09137 - WD-	705	US\$ 7.92	Sep 17, 2024, 11:00 AM (-0300)
			INSPECTION PENETRANT REMOVER - MAGNAFLUX 01-5750-40 SPOTCHECK SKC-S, CLEANER/REMOVER FOR NON-DESTRUCTIVE TESTING, TECHNICAL SPECIFICATION AMS 2644 CLASS 2, NON-HALOGENATED SOLVENT, VOC 750 G/L, UNIT OF ISSUE: 16 OZ CAN. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	37676 - ILLIN	45	US\$ 26.43	Sep 17, 2024, 11:00 AM (-0300)
SPR162009PQ	435/2024	SKC-S					
			GREASE, MOLYBDENUM DISULFIDE, CO-CONTAINER 500GR(454LB) - MOLYKOTE 3402C LF, ANTI-FRICTION COATING (LEAD FREE), AERONAUTICAL APPLICATON, CORROSION PROTECTION, AIR-CURING, UNIT OF ISSUE: CAN OF 500 GRAMS. ONLY OEM. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	94499 - DOV	65	US\$ 116.09	Sep 17, 2024, 11:00 AM (-0300)
SPR162017PE	435/2024	MOLYKOTE3402C					

SPR162022PE	435/2024	AEROSHELL GREASE6	GREASE, BALL AND ROLLER BEARING - AEROSHELL GREASE6, GREASE, MULTIPURPOSE, AERONAUTICAL APPLICATION, OPERATING TEMPERATURE RANGE:-40°C TO 121°C, MIL-PRF-24139A, 3 KG CN, SHELF LIFE 60%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	54527 - SHEI	37	US\$ 142.08	Sep 17, 2024, 11:00 AM (-0300)
SPR162023TS	435/2024	M81772-2-005G	SOLVENT FOR EPOXY - SOLVENT THINNER FOR EPOXY ENAMEL, MIL-DTL-81772C TYPE II, UNIT OF ISSUE: 5 GALLON PAIL. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE	81349 - MILI	49	US\$ 354.11	Sep 17, 2024, 11:00 AM (-0300)
SPR163039PE	435/2024	NYCO GREASE GN GA 47	GRAPHITED ANTISEIZE COMPOUND - NYCO GREASE GN GA 47, GRAPHITED ANTI-SEIZE COMPOUND, AERONAUTICAL APPLICATION, 50/50 MIXTURE OF PURE PETROLATUM VASELINE AND MICRONISED GRAPHITE, HEAVY LOAD AND HIGH TEMPERATURE APPLICATIONS, EARLY CONDUCTIVE, UNIT OF ISSUE: CAN OF 1 KG. ONLY OEM. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE.	0976B - NYC	16	US\$ 75.26	Sep 17, 2024, 11:00 AM (-0300)
SPRR06001GS	436/2024	9500B	REPAIR - IMPAIRING THE EQUIPMENT WITH ACTIVE HEAD FN: 9500, SN: 070349774-1000 CONNECTED, THE EMP DOES NOT WORK AFTER PERFORMING THE AUTO TEST AND DOES NOT ACCEPT ANY COMMANDS. HOWEVER, WHEN INITIALIZING WITHOUT THE ACTIVE HEAD, THE EQUIPMENT FUNCTIONS NORMALLY. *** IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS: 1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE # 2) FIXED EVALUATION FEE. 3) SERVICE OFFERED WARRANTY. 4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. *** IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DECLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12) ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 45 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS. THE TEARDOWN REPORT MUST HAVE: 1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES. 2 - ESTIMATED DELIVERY DATE. 3 - SERVICE WARRANTY. 4 - FIXE EVALUATION FEE. ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL. ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE PROVIDED PRIOR TO THE UNIT SHIPMENT.	89536 - FLUI	1	US\$ 734.904	Sep 17, 2024, 11:00 AM (-0300)
SPR163033PQ	451/2024	MAGNAGLO CARRIER II	MAGNETIC PARTICLE INSPECTION - MAGNAFLUX 01-2122-40 MAGNAGLO CARRIER II, NDT-APPROVED PETROLEUM BASE SUSPENSION VEHICLE, CLEAR, COLORLESS, FLASH POINT 96°C, VISCOSITY 2,6 CST, UNIT OF ISSUE: PAIL OF 5 GALLON. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	37676 - ILLIN	14	US\$ 384.38	Sep 18, 2024, 11:00 AM (-0300)
SPR163046PE	443/2024	LOCTITE 7063	CLEANING SPRAY - LOCTITE SF 7063, SURFACE CLEANER, NON-CFC SOLVENT BASED FORMULATION, AERONAUTICAL APPLICATION, UNIT OF ISSUE: CAN OF 400 ML AEROSOL. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	U0406 - HEN	22	US\$ 25.55	Sep 18, 2024, 11:00 AM (-0300)
SPR163050PQ	443/2024	ARDROX AV40	HEAT RESISTANT, WATER DISPLACING, CORROSION INHIBIT COMPOUND - CHEMETALL ARDROX AV40, APPLIED AS A COATING TO PROTECT METALS COMMONLY USED IN AIRFRAME STRUCTURES AND AEROSPACE COMPONENTS FROM CORROSION, DESIGNED FOR USE IN AREAS OF THE AIRCRAFT EXPOSED TO ELEVATED TEMPERATURES. UNIT ISSUE: 1 LITER CAN. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	44389 - CHE	12	US\$ 188.61	Sep 18, 2024, 11:00 AM (-0300)
SPR164004PQ	443/2024	SKL-WP2	LIQUID PENETRANT TESTING - MAGNAFLUX 01-5190-77 SPOTCHECK SKL-WP2, WATER WASHABLE VISIBLE DYE PENETRANT, TYPE 2, METHOD A (WATER WASHABLE), METHOD C (SOLVENT REMOVABLE), UNIT OF ISSUE: UNIT OF ISSUE: 16 OZ AEROSOL CAN - SHELF LIFE 75% - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS, ALTERNATE PRODUCTS MAY BE OFFERED IF SUFFICIENT TECHNICAL INFORMATION IS PROVIDED IN ORDER TO QUALIFY IT AS SUCH.	37676 - ILLIN	9	US\$ 43.44	Sep 18, 2024, 11:00 AM (-0300)

SPR164009PQ	443/2024	FP-95 AEROSOL	FLUORECENT PENETRANT - MAGNAFLUX 01-3187-77 ZYGLO ZL-27A, LEVEL 3 POST-EMULSIFIABLE FLUORESCENT PENETRANT, HIGH SENSITIVITY, QPL SAE AMS 2644, TYPE I, METHOD C, LEVEL 3, UNIT OF ISSUE: CAN OF 16 OZ AEROSOL. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	98733 - MET 4		US\$ 43.37	Sep 18, 2024, 11:00 AM (-0300)
SPR164012TS	443/2024	EC75/TN186	SILVER EPOXY TOPCOAT SLT - PPG EC75/TN186, SILVER EPOXY TOPCOAT, TWO-PACK, AMBIENT CURING, HIGH CHEMICAL RESISTANCE, DEF-STAN 80 161/1, MSRR 9064 ISSUE 10, UNIT OF ISSUE: 5 LITERS CAN. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	K5635 - PPG 12		US\$ 874.19	Sep 18, 2024, 11:00 AM (-0300)
SPR164013PQ	443/2024	SKC-S AEROSOL	INSPECTION PENETRAN REMOVER - CLEANER/REMOVER FOR PENETRANT INSPECTION NON-HALOGENATED, CLEAR, COLORLESS, FLASH POINT: 57°F, VAPOR PRESSURE: 30 MM HG@68°C, NON VOLATILE RESIDUE<50 PPM, VOC: 750 G/L. SHELF LIFE 80%. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. UNIT OF ISSUE: CAN OF 16OZ.	37676 - ILLIN 11		US\$ 31.74	Sep 18, 2024, 11:00 AM (-0300)
SPR164020PQ	443/2024	ZL-60D	LIQUID PENETRANT TESTING - MAGNAFLUX 01-3272-77 ZYGLO ZL-60D, LEVEL 2 WATER WASHABLE FLUORESCENT PENETRANT, MEDIUM SENSITIVITY, LISTED ON THE QPL SAE AMS 2644, TYPE I, METHOD A/C, LEVEL 2, UNIT OF ISSUE: CAN OF 16 OZ AEROSOL. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT	37676 - ILLIN 12		US\$ 48.52	Sep 18, 2024, 11:00 AM (-0300)
SPR176004PE	443/2024	BONDERITE L-GP D 148A	VARNISH,OIL, 1KG - BONDERITE L-GP D 148A, PTFE BASED VARNISH DEVELOPING A DRY AND LUBRICATING COATING AFTER CURING, 1 KG CN. SHELF LIFE: 85% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	8T426 - HEN 2		US\$ 490.3	Sep 18, 2024, 11:00 AM (-0300)
SPR163027PE	443/2024	NYCOPROTEC 05	PETROLEUM OIL THAT IS FORTIFIED WITH A CORROSION-INHIBITING ADDITIVE - NYCOPROTEC 05, CORROSION PREVENTIVE FLUID, ACCORDING TO NATO SPEC C-609, MIL-C-6529 C AMD 2 TYPE 2, UNTI OF ISSUE: 5 LITERS CAN. SHELF LIFE 70%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	F4101 - NYC 31		US\$ 167.79	Sep 18, 2024, 11:00 AM (-0300)
SPR163032PQ	443/2024	SKD-S2	INSPECTION PENETRANT DEVELOPER,NONAQUEOUS - MAGNAFLUX 01-5352-77 SPOTCHECK SKD-S2, NON-AQUEOUS, SOLVENT BASED DEVELOPER, NON-CORROSIVE, SULFUR CONTENT < 1000 ppm, CHLORINE CONTENT <1000 ppm, VOC 617 G/L, UNIT OF ISSUE: 12 OZ AEROSOL CAN. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	37676 - ILLIN 12		US\$ 29.17	Sep 18, 2024, 11:00 AM (-0300)
SPR163034PE	447/2024	ARALDITE LY5052	ARALDITE LY5052 EPOXY RESIN 1KG CAN - ARALDITE LY5052, COLD CURE EPOXY RESIN, LOW VISCOSITY EPOXY RESIN. UNIT OF ISSUE: 1 KG CAN - ONLY OEM. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	K1007 - HUN 13		US\$ 169.69	Sep 18, 2024, 11:00 AM (-0300)
SPR163036PE	447/2024	SUPERGLISS	CORROSION PROTECTIVE LUBRICANT, MIL-C-81309 (MOLYKOTE SUPERGLISS) - SUPERGLISS, CORROSION PROTECTIVE LUBRIFICANT OIL, AERONAUTICAL APPLICATION, CHEMICAL COMPOSITION: MINERAL OIL, ADHESION IMPROVER, SOLVENT, CORROSION INHIBITORS, PROPELLANT, MIL-PRF-81309F - TYPE III, CLASS 2, GRADE CO2, 400 ML CN, SHELF LIFE 60%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	71984 - DOV 36		US\$ 18.74	Sep 18, 2024, 11:00 AM (-0300)
SPR183001PE	447/2024	AEROSHELL GREASE 64	AEROSHELL GREASE 64 - GREASE. 5% MOLYBDENUM DISULPHIDE. AERONAUTICAL APPLICATION, IN ACCORDANCE WITH MIL-G-21164. NATO SPEC G-353. DEF STAN 91-57. OPERATING TEMPERATURE RANGE: 73°C TO 121°C. UNIT OF ISSUE: (3KG) 6.6 LB CAN. ONLY OEM. SHELF LIFE: 80% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	54527 - SHEI 3		US\$ 183.4	Sep 18, 2024, 11:00 AM (-0300)
SPR163048PQ	447/2024	MIL-P-85891 TYSCRO 250 LB DR	GRAIN ABRASIVE, WHITE TO LIGHT GREY COLOR, MATERIAL PLASTIC, ACRYLIC - MIL-P-85891A TYPE V COLOR 5, PLASTIC MEDIA FOR REMOVAL OF ORGANIC COATINGS, ABRASIVE GRAIN, WHITE TO LIGHT GRAY, ACRYLIC, GRIT SIZE 20 TO 30, UNIT OF ISSUE: 250 POUNDS DRUM	80244 - GEN 18		US\$ 602.32	Sep 18, 2024, 11:00 AM (-0300)
SPR163037PE	447/2024	TELLUS 46	LUBRICATING OIL,UTILITY - SHELL TELLUS S2 M 46, LUBRICATING OIL,UTILITY , 55 GALLONS DR, SHELF LIFE 60%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT.	54527 - SHEI 12		US\$ 1,431.04	Sep 18, 2024, 11:00 AM (-0300)
SPR162024TS	447/2024	LA34086KT	ACRYLIC LACQUER - FLAT GREEN FED-STD-595 34086 - COATING, AIRCRAFT TOUCH UP, VOC LESS THAN 340 GRAMS/LITER, ACRYLIC BASE. FED-STD-595 34086 FLAT I. R. DARK GREEN. TECHNICAL SPECIFICATION MIL-PRF-81352C, TYPE 1. KIT CONSISTING OF: 1 GALLON CANS OF COATING - 01 UNIT, 1 QUART CANS OF SOLVENT FOR ACRYLIC LACQUER (MIL-T-81772 TYPE III OR OTHERWISE THE COATING SHALL BE MISCIBLE IN WATER) - 01 UNIT. TOTAL VOLUME KIT EQUAL TO 4,73 LITERS (COATING + SOLVENT). THE LABEL MUST CONTAIN THE INFORMATION OF: LOT, MANUFACTURING DATE, EXPIRY DATE, COLOR NUMBER. MIN. SHELF LIFE 80%	97854 - AKZI 18		US\$ 88.39	Sep 18, 2024, 11:00 AM (-0300)
SPR162025TS	447/2024	LA35045KT	ACRYLIC LACQUER - FLAT BLUE FED-STD-595 35045 - COATING, AIRCRAFT TOUCH UP, VOC LESS THAN 340 GRAMS/LITER, ACRYLIC BASE. FED-STD-595 35045 FLAT DARK BLUE. TECHNICAL SPECIFICATION MIL-PRF-81352C, TYPE 1. KIT CONSISTING OF: 1 GALLON CANS OF COATING - 01 UNIT, 1 QUART CANS OF SOLVENT FOR ACRYLIC LACQUER (MIL-T-81772 TYPE III OR OTHERWISE THE COATING SHALL BE MISCIBLE IN WATER) - 01 UNIT. TOTAL VOLUME KIT EQUAL TO 4,73 LITERS (COATING + SOLVENT). THE LABEL MUST CONTAIN THE INFORMATION OF: LOT, MANUFACTURING DATE, EXPIRY DATE, COLOR NUMBER. MIN. SHELF LIFE 80%	97854 - AKZI 10		US\$ 91.36	Sep 18, 2024, 11:00 AM (-0300)

SPR163051TS	447/2024	M85285-1H-002G-36622	POLYURETHANE COATING FLAT GREY - FED-STD-595 36622 KT EQUAL TO 2GL - POLYURETHANE COATING, AERONAUTICAL APPLICATION, HIGH SOLIDS, FLAT GRAY FED-STD-585 36622, MIL-PRF-85285C TYPE I CLASS H, ASSIST DLA APPROVED QPL-85285, CONSISTING OF COMPONENT A (PIGMENTED POLYESTER RESIN AND SOLVENT) AND COMPONENT B (CLEAR ALIPHATIC ISOCYANATE) TO EQUAL 2 GALLONS, UNIT OF ISSUE: 2 GALLON KIT (PART A AND PART B). SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	81349 - MILI	22	US\$ 237.58	Sep 18, 2024, 11:00 AM (-0300)
SPR163054TS	447/2024	A-A-3003B	NITROCELULOSE LACQUER AND THINNER (DOPE AND LACQUER) - COLORLESS - LACQUER, SPRAYING, CLEAR, FOR INTERIOR USE, MAXIMUM VOC 340 GRAMS/LITER, FED SPEC A-A-3003B, TYPE I CLASSE 1, UNIT OF ISSUE: 1 GALLON CAN OF COATING (SUITABLE FOR THINNING WITH A-A-857B). SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	97854 - AKZI	12	US\$ 73.44	Sep 18, 2024, 11:00 AM (-0300)
SPR164002TS	447/2024	MIL-C-27725 TY2CLB	CORROSION PREVENTIVE COMPOUND - POLYURETHANE COATING, CORROSION PREVENTATIVE, FOR AIRCRAFT INTEGRAL FUEL TANKS, AMS-C-27725 TYPE II, BENCHMARK PPG AEROSPACE DESOTO 823-707 KIT NSN 8030-66-114-5780, UNIT OF ISSUE: 2.25 GALLON KIT - SHELF LIFE 75% - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS, ALTERNATE PRODUCTS MAY BE OFFERED IF SUFFICIENT TECHNICAL INFORMATION IS PROVIDED IN ORDER TO QUALIFY IT AS SUCH.	80244 - GEN	9	US\$ 168.32	Sep 18, 2024, 11:00 AM (-0300)
SPR164006TS	448/2024	B-274/AS-P108	COATING KIT,RAIN EROSION RESISTING - CAAP CO CAAPCOAT B-274/AS-P108, POLYURETHANE COATING, GLOSS BLACK, RAIN EROSION RESISTANT, ANTI-STATIC TYPE, NON-MOISTURE CURING, PHOTOCHEMICALLY REACTIVE, FOR COATING EXTERIOR LAMINATED PLASTIC PARTS ON HIGH-SPEED AIRCRAFT AND MISSILES, ASSIST DLA APPROVED (OR EQUIVALENT CERTIFICATION), SAE-AMS-C-83231 TYPE II CLASS A, UNIT OF ISSUE: 1.25 GALLON KIT (CONSISTS OF 1 GALLON OF BASE COMPONENT AND REQUIRED AMOUNT OF CATALYST, PRIMER AND PRIMER ACTIVATOR, 1 QUART OF ANTI-STATIC COATING BASE AND REQUIRED AMOUNT OF CURING AGENT, AND THINNER). SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	60922 - CAA	12	US\$ 504.92	Sep 18, 2024, 11:00 AM (-0300)
SPR164008TS	448/2024	HS PRIMER FILLER	MULTI USE HS PRIMER FILLER - BI-COMPONENT URETHANE PRIMER FILLER SYSTEM KIT, COLOR WHITE TO LIGHT GRAY, COMPRISING 3.5 TO 4 LITER (ABOUT 1 US GALLON) HIGH SOLIDS PRIMER FILLER AND THE APPROPRIATE HARDENER AND REDUCER ACCORDING TO THE SPECIFICATION AND TO THE PROPORTION RECOMMENDED AT THE TECHNICAL DATA SHEET, INTENDED APPLICATION IN GLIDER REFINISHING SERVICES OVER POLYESTER AND FIBERGLASS SURFACES, IN CONFORMANCE TO THE REPAIR MANUAL OF SAILPLANES AND MOTORGLIDERS DG-1000 (DECEMBER 2010), BENCHMARK AKZONOBEL 20P20-3/PC-232 - UNIT OF ISSUE: GALLON KIT. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	97854 - AKZI	11	US\$ 475.26	Sep 18, 2024, 11:00 AM (-0300)
SPR163055TS	448/2024	M85285-1-H-12215-002G	POLYURETHANE COATING - GLOSS ORANGE FED-STD-595 12215 - KIT EQUAL TO 2 GALLONS (7.57 LITERS) - POLYURETHANE COATING, AERONAUTICAL APPLICATION, HIGH SOLIDS, GLOSS ORANGE FED-STD-585 12215, MIL-PRF-85285C TYPE I CLASS H, CONSISTING OF COMPONENT A (PIGMENTED POLYESTER RESIN AND SOLVENT) AND COMPONENT B (CLEAR ALIPHATIC ISOCYANATE) TO EQUAL 2 GALLONS, UNIT OF ISSUE: 2 GALLON KIT (PART A AND PART B). SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	81349 - MILI	37	US\$ 221.51	Sep 18, 2024, 11:00 AM (-0300)
SPR163003PE	448/2024	EA9309.3NA	ADHESIVE, PASTE, PLASTIC EPOXY,PURPLE, 1 QUART KIT - HENKEL 1342385 LOCTITE EA 9309.3NA AERO (HYSOL), EPOXY PASTE ADHESIVE, TWO-COMPONENT, UNIT OF ISSUE: 1 QUART KIT. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS, ALTERNATE PRODUCTS MAY BE OFFERED IF SUFFICIENT TECHNICAL INFORMATION IS PROVIDED IN ORDER TO QUALIFY IT AS SUCH.	04347 - HEN	15	US\$ 343.7	Sep 18, 2024, 11:00 AM (-0300)
SPR163010PE	448/2024	PR-812	SEALING COMPOUND, COLOR BLACK, PASTE, DRYING TIME 24 HOURS, WORKING TIME 1-1/2 HOUR, PACK 1 PT - PPG AEROSPACE PR-812, MIL-S-38249 AMD 3 TYPE I, PRIMERLESS FIREWALL SEALANT, AERONAUTICAL APPLICATION, TWO-PART, SYNTHETIC RUBBER COMPOUND, SERVICE TEMPERATURE RANGE: -54 TO 204°C, COLOR BLACK, APPLICATION LIFE: 2 HOURS, UNIT OF ISSUE: 1 PINT KIT. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	83574 - PRC	34	US\$ 297.35	Sep 18, 2024, 11:00 AM (-0300)
SPR177002PE	448/2024	EC-1751 B/A	ADHESIVE - EC-1751 B/A, GRAY EPOXY ADHESIVE, TWO PART STRUCTURAL ADHESIVES, UI- 2OZ TUBE KIT. SHELF LIFE: 85% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	52152 - 3M	6	US\$ 151.64	Sep 18, 2024, 11:00 AM (-0300)
SPR178003PE	448/2024	ARALDITAW106	ADHESIVE - ARALDITE AW 106 / HV 953 U, DOUBLE COMPOUND EPOXY PUTTY ADHESIVE SET ARALDITE AW106 IS PACKAGED IN A+B SET OF 1.8KG, INCLUDING 1KG RESIN ARALDITE HV953U 800GR HARDENER. MULTI-PURPOSE, LOW TENSILE PROPERTY WITH LONG WORKING TIME, EXTREME RESISTANCE TO DYNAMIC LOADS, CURED AT ROOM TEMPERATURE, IT IS USED FOR GLUING MANY THUDS. SHELF LIFE: 85% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	D8274 - HUN	1	US\$ 286.18	Sep 18, 2024, 11:00 AM (-0300)
SPR162019PE	448/2024	DOW CORNING 33 MEDIUM	GREASE, AIRCRAFT AND INSTRUMENT - DOW CORNING 33 MEDIUM, GREASE, AIRCRAFT AND INSTRUMENT, CHEMICAL COMPOSITION: POLYMETHYLTHENYL SILICONE OIL, LITHIUM SOAP, OPERATING TEMPERATURE RANGE: -73? TO 1807C,WORKED PENETRATION: 280 MM/10, AERONAUTICAL APPLICATION, 5 OZ TU, SHELF LIFE 60%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	71984 - DOW	58	US\$ 42.26	Sep 18, 2024, 11:00 AM (-0300)

SPR162020PE	448/2024	RTV732WHITE	SEALING COMPOUND WHITE TU 90 ML - DOW 3140717 DOWSIL 732, MIL-A-46106 GROUP 1 TYPE 1, WHITE MULTI-PURPOSE SILICONE SEALANT, AERONAUTICAL APPLICATION, ONE COMPONENT, ROOM TEMPERATURE CURE, SERVICE TEMPERATURE RANGE: -60 TO 180°C, UNIT OF ISSUE: TUBE OF 90 ML (3 OZ). SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	71984 - DOV	57	US\$ 6.39	Sep 18, 2024, 11:00 AM (-0300)
SPR163043PE	448/2024	MOLYKOTE FS1292	GREASE, AIRCRAFT AND INSTRUMENT - MOLYKOTE FS 1292, LUBRICATING GREASE, AERONAUTICAL APPLICATION, CHEMICAL COMPOSITION: FLUOROSILICONE OIL, POLYUREA THICKENER, WATER RESISTANT, OIL RESISTANCE, SERVICE TEMPERATURE RANGE: -40 TO 200°C, UNIT OF ISSUE: TUBE OF 100 GRAMS. ONLY OEM. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	71984 - DOV	17	US\$ 112.97	Sep 18, 2024, 11:00 AM (-0300)
SPR163045PE	449/2024	DC738	738 ELECTRICAL SEALANT, WHITE ADHESIVE - DOW 1949101 DOWSIL 738, RTV WHITE ELECTRICAL SEALANT, ONE-COMPONENT SILICONE COMPOUND, UNIT OF ISSUE: 90 ML TUBE. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	71984 - DOV	12	US\$ 25.3	Sep 18, 2024, 11:00 AM (-0300)
SPR164007PE	449/2024	RTV732-BLACK90ML	SEALING COMPOUND, PASTE, SILICONE, COLOR BLACK, TU 90 ML - NORMA MIL-A-46106 GROUP 1 TYPE 1 - DOW 2112531 DOWSIL 732, MIL-A-46106 GROUP 1 TYPE 1, BLACK MULTI-PURPOSE SILICONE SEALANT, AERONAUTICAL APPLICATION, ONE COMPONENT, ROOM TEMPERATURE CURE, SERVICE TEMPERATURE RANGE: -60 TO 205°C, UNIT OF ISSUE: TUBE OF 90 ML (3 OZ) - SHELF LIFE 85% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITEMS, ALTERNATE PRODUCTS MAY BE OFFERED IF SUFFICIENT TECHNICAL INFORMATION IS PROVIDED IN ORDER TO QUALIFY IT AS SUCH.	K7750 - DOV	27	US\$ 9.01	Sep 18, 2024, 11:00 AM (-0300)
SPR164010PE	449/2024	RTV-730-3.0/OZ	DOW CORNING 730 WHITE, SOLVENT RESISTANT, 90 ML TU - DOW CORNING 730 WHITE, SOLVENT RESISTANT SILICONE ADHESIVE SEALANT COMPOUND, AERONAUTICAL APPLICATION, ONE COMPONENT FLUOROSILICONE ADHESIVE SEALANT, 90 ML TU (3 OZ), SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	71984 - DOV	4	US\$ 203.1	Sep 18, 2024, 11:00 AM (-0300)
SPR163056PQ	449/2024	GBX FIXER AND REPLENISHER	FIXER AND REPLENISHER - KODAK GBX FIXER AND REPLENISHER, UNIT OF ISSUE: CONTAINER FOR YEILDING 5 GALLONS. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER - ALTERNATE 190-2485, NSN 6525-011527619	19139 - EAST	55	US\$ 53.61	Sep 18, 2024, 11:00 AM (-0300)
SPR162018PE	449/2024	LOCTITE 275	SEALING COMPOUND, U/I CONTAINS 50 ML - LOCTITE 275, ACRYLIC ANAEROBIC SINGLE COMPONENT ADHESIVE. AERONAUTICAL APPLICATION, CHEMICAL COMPOSITION: DIMETHACRYLATE ESTER, GREEN LIQUID, ONE COMPONENT, MEDIUM VISCOSITY, HIGH STRENGTH, 50 ML BT, SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	D2617 - HEN	15	US\$ 75.37	Sep 18, 2024, 11:00 AM (-0300)
SPR163040PE	449/2024	LOCTITE 222	SEALING COMPOUND, U/I CONTAINS 50 ML - LOCTITE 222, ACRYLIC ANAEROBIC SINGLE COMPONENT ADHESIVE. AERONAUTICAL APPLICATION, CHEMICAL COMPOSITION: DIMETHACRYLATE ESTER, PURPLE LIQUID, ONE COMPONENT, LOW VISCOSITY, THIXOTROPIC, LOW STRENGTH, 50 ML BT, SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT.	D2617 - HEN	17	US\$ 62.47	Sep 18, 2024, 11:00 AM (-0300)
SPR163042PE	449/2024	LOCTITE 271	SEALING COMPOUND, U/I CONTAINS 50 ML - LOCTITE 271, ACRYLIC ANAEROBIC SINGLE COMPONENT ADHESIVE. AERONAUTICAL APPLICATION, CHEMICAL COMPOSITION: DIMETHACRYLATE ESTER, RED, ONE COMPONENT, LOW VISCOSITY, THIXOTROPIC, HIGH STRENGTH. 50ML BT, SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT	D2617 - HEN	17	US\$ 80.96	Sep 18, 2024, 11:00 AM (-0300)
SPR163052PE	449/2024	LOCTITE 221	SEALING COMPOUND, U/I CONTAINS 50 ML - HENKEL LOCTITE 221, ANAEROBIC SINGLE COMPONENT ADHESIVE, AERONAUTICAL APPLICATION, CHEMICAL COMPOSITION: DIMETHACRYLATE ESTER, PURPLE LIQUID, LOW VISCOSITY, LOW STRENGTH UNIT OF ISSUE: BOTTLE OF 50 ML. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT	D2617 - HEN	8	US\$ 61.8	Sep 18, 2024, 11:00 AM (-0300)
SPR176005TS	449/2024	DIESTONE DLS	DIESTONE DLS - CLEANING COMPOUND. UI: 1GAL. SHELF LIFE: 85% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	F6892 - SOC	32	US\$ 121.05	Sep 18, 2024, 11:00 AM (-0300)
SPR162026PE	449/2024	MIL-PRF-25017	INHIBITOR, CORROSION - PETROLEUM FUEL SOLUBLE CORROSION INHIBITOR TECHNICAL SPECIFICATION MIL-PRF-25017F. THE PRODUCT MUST BE REGISTERED ON U.S. MILITARY QUALIFIED PRODUCTS LIST, QPL-25017 CATEGORY 1. UNIT OF ISSUE: 1 AMERICAN GALLON CAN. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE. MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	81349 - MILI	29	US\$ 352.03	Sep 18, 2024, 11:00 AM (-0300)
SPR163057PQ	450/2024	GBX DEVELOPER AND REPLENISHER	KODAK GBX DEVELOPER AND REPLENISHER, UNIT OF ISSUE: CONTAINER FOR YEILDING 5 GALLONS. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITEMS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER. ALTERNATE 1900984 - STARTER, X-RAY FILM PROCESSING - NSN 6525-011523604	19139 - EAST	55	US\$ 68.58	Sep 18, 2024, 11:00 AM (-0300)

SPR162021PQ	450/2024	ARDROX 1900D	MULTI PURPOSE AIRCRAFT CLEANER - CONCENTRATED LIQUID DETERGENT, ACRYLIC CLEANING AND METALLIC SURFACES APPLICATION, ALKALINE DETERGENT TO HEAVY DUTY, THIXOTROPIC, WITH SURFACTANTS, NON-IONIC, ORGANIC AND INORGANIC SALTS. RATIO MIXTURE AS 1 PART OF CLEANER TO 10-20 PARTS OF WATER FOR INTERIOR CLEANING AND RATIO MIXTURE AS 1 PART OF CLEANER TO 5-10 PARTS OF WATER FOR EXTERIOR CLEANING. COLOR WHITE, PH 12.5 (ASTM-D1172), SPECIFIC WEIGHT 1.02 TO 1.03 G PER CM3 (ASTM D 1475), VISCOSITY 150 TO 250 CP (ASTM D2196) TECHNICAL SPECIFICATION: MP-QPL 21-012, AIRBUS CML 08ABC1, 08ACA1, 08CJA1, BOEING SAE AMS 1523,SAE AMS 1526, SAE AMS 1530 AND SAE AMS 1550. ASSIST TO EMBRAER MEP-QPL 21-012, TYPE II. ASSIST TO MEP 21-012 TYPE II. AERONAUTICAL APPLICATION. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. UI: PAIL OF 20 L - SHELF LIFE: 80%	44389 - CHE	57	US\$ 213.54	Sep 18, 2024, 11:00 AM (-0300)
SPR163038PQ	450/2024	SKC-S(5 GL)	INSPECTION PENETRANT REMOVER - CLEANER/REMOVER FOR NON-DESTRUCTIVE TESTING, TECHNICAL SPECIFICATION AMS 2644, CLASSIFICATION CLASS 2, NON-HALOGENATED SOLVENT, VOC 750 G/L. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. UNIT OF ISSUE: PAIL OF 05 GALLON. SHELF LIFE: 80%.	37676 - ILLIN	16	US\$ 338.4	Sep 18, 2024, 11:00 AM (-0300)
SPR163041PQ	450/2024	ZR-10B	INSPECTION PENETRANT EMULSIFIER - MAGNAFLUX ZR-10B, INSPECTION PENETRANT EMULSIFIER, SAE AMS 2644 METHOD D TYPE 1 & 2, UNIT OF ISSUE: 5 GALLON PAIL. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	37676 - ILLIN	27	US\$ 648.8	Sep 18, 2024, 11:00 AM (-0300)
SPR163044PQ	450/2024	MIL-C-43616C	CLEANING COMPOUND,AIRCRAFT SURFACE, CLASS I (LIQUID) - CLEANING COMPOUND,AIRCRAFT SURFACE APPROVED MIL-C-43616C CLASS I, HEAVY DUTY, MULTI-PURPOSE, HIGHLY CONCENTRATED LIQUID EMULSION CLEANER, CONTAINING SURFACTANTS, AROMATIC HYDROCARBONS AND NITRITES, HIGH FOAM LEVEL, BIODEGRADABLE, PHOSPHATE FREE, PH AT WORKING CONCENTRATION 8.5, DENSITY 0.958. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. UNIT OF ISSUE: PAIL OF 5 GL. SHELF LIFE: 80%	81349 - MILI	23	US\$ 222.18	Sep 18, 2024, 11:00 AM (-0300)
SPR163047PQ	450/2024	ARDROX 3968	WATER DISPLACING CORROSION INHIBITOR - 5 GALLON PAIL - WATER DISPLACING CORROSION INHIBITOR. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. UNIT OF ISSUE: PAIL OF 5 GALLON. SHELF LIFE: 80%.	44389 - CHE	18	US\$ 568.99	Sep 18, 2024, 11:00 AM (-0300)
SPR163049PQ	450/2024	ZR-10E(5 GL)	HYDROPHILIC EMULSIFIER - MAGNAFLUX 01-3625-40 ZYGLO ZR-10E, HYDROPHILIC EMULSIFIER, QPL SAE AMS 2644, METHOD D REMOVER, BIODEGRADABLE, PINKISH, SLIGHTLY VISCOUS LIQUID, UNIT OF ISSUE: 5 GALLON PAIL. SHELF LIFE 70% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	37676 - ILLIN	21	US\$ 779.7	Sep 18, 2024, 11:00 AM (-0300)
SPR164001PQ	451/2024	ZL-60D(5GL)	LIQUID PENETRANT TESTING - MAGNAFLUX 01-3272-40 ZYGLO ZL-60D, LEVEL 2 WATER WASHABLE FLUORESCENT PENETRANT, MEDIUM SENSITIVITY, LISTED ON THE QPL SAE AMS 2644, TYPE I, METHOD A/C, LEVEL 2, UNIT OF ISSUE: PAIL OF 5 GALLON. SHELF LIFE 80%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	37676 - ILLIN	2	US\$ 850.33	Sep 18, 2024, 11:00 AM (-0300)
SPR164005PE	451/2024	MOBIL RARUS 827	LUBRICATING OIL,AIRCOMPRESSOR, PAIL 5 GL - MOBIL RARUS 827, AIR COMPRESSOR LUBRICANT, INTENDED FOR THE LUBRICATIONS OF SEVERE DUTY RECIPROCATING AIR COMPRESSORS, SYNTHETIC BASE-OILS, RECOMMENDED FOR SINGLE AND MULTISTAGE AIR COMPRESSORS. UNIT ISSUE: PAIL OF 5 GALLON.SHELF LIFE 70%, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER.	70878 - EXX	2	US\$ 428.79	Sep 18, 2024, 11:00 AM (-0300)
SPR164015PQ	451/2024	ARDROX 5504	DEGREASING SOLVENTE TYPE III - GENERAL SOLVENT CLEANER FOR OILS AND GREASE. SPEC.: MIL-PRF-680 TYPE III. INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. UI: 5 GALLONS PAIL. SHELF LIFE: 80%.	44389 - CHE	6	US\$ 237.69	Sep 18, 2024, 11:00 AM (-0300)
SPR164021PQ	451/2024	SUPERSOL-10	CLEANER AUTOMOTIVE DETERGENT NEUTRAL - CLEANER, AUTOMOTIVE DETERGENT, NEUTRAL, LIQUID CONCENTRATE, COLOUR AMBAR, PH 6.5 TO 7.5, DENSITY 1.03 TO 1.05, BASED ON SODIUM DODECYLBENZENESULFONATE, HIGH FOAM LEVEL. BENCHMAK: DIVERSEY BR002214 SUPERSOL 10. DILUTION 1:100 TO 1:200. ACCORDING TO TECHNICAL SPECIFICATIONS FOR EMBRAER KC-390. UNIT OF ISSUE: 20 LITER PAIL. SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	325G4 - DIVI	22	US\$ 168.88	Sep 18, 2024, 11:00 AM (-0300)
SPR163035PQ	451/2024	MIL-D-3464	DESICCANT,ACTIVATED - MIL-D-3464E TYPE I, GENERAL PURPOSE, DESICCANT, ACTIVATED AGENT FOR PREVENTING CORROSION BY ABSORBING THE MOISTURE FROM THE AIR, CONTAINER WITH 50 BAGS UNIT 8, UNIT OF ISSUE: 5 GALLON PAIL.SHELF LIFE 80% MINIMUM - INFO ON THE LABEL: LOT, MANUF DATE, EXP DATE - FOR NON OEM ITENS: EVENTUAL ALTERNATE MANUFACTURER, TRADE MARK AND UNIT OF ISSUE MUST BE EXPLICITLY REMARKED ALONG WITH THE OFFER	81349 - MILI	26	US\$ 138.99	Sep 18, 2024, 11:00 AM (-0300)
SPR180001PE	451/2024	SHELL TELLUS S2 M 68	LUBRICATING OIL, GENERAL PURPOSE - LUBRICATING OIL, GENERAL PURPOSE - SHEL TELLUS S2 MX 68, HYDRAULIC OIL, MOBIL DTE 26, SOLVENT REFINED, HIGH VISCOSITY, ASTM D6158-05 (HM FLUIDS), DIN 51524 PART 2 HLP TYPE, UNIT OF ISSUE: 20 LITER PAIL. SHELF LIFE: 80% MINIMUM.. SHELF LIFE: 80% MINIMUM, INFORMATION IN THE LABEL: DATE MANUFACTURE, SHELF LIFE, LOT. ONLY OEM.	54527 - SHEI	46	US\$ 104.18	Sep 18, 2024, 11:00 AM (-0300)
SPR171002PE	451/2024	ELASTOSIL E43	ADHESIVE - ELASTOSIL E43 90ML TUBE, NSN 8040-12-305-2851, SILICONE RUBBER / ADHESIVE, TRANSPARENT, SUPPLY MATERIAL WITH 85% SHELF LIFE MINIMUM.	D2650 - WAI	8	US\$ 40.64	Sep 18, 2024, 11:00 AM (-0300)
GLR082009P3	452/2024	3260AS100-2	TEST SET STORES MAN - NSN: 4920014795760	30003 - NAV	1	US\$ 156,145	Sep 18, 2024, 11:00 AM (-0300)
GLR173001P3	452/2024	3949AS100-2	PORTABLE OXYGEN REGULATOR TEST SET (PORTS) A/E26T-4A -	58918 - AER	2	US\$ 108,266.41	Sep 18, 2024, 11:00 AM (-0300)
SPR170150F9	453/2024	DIGITRON 2022P	DIGITAL PRESSURE METER - DIGITAL MANOMETER 0 TO 2 BAR - DIGITRON 2022P	3XFH2 - DIG	1	US\$ 773.29	Sep 18, 2024, 11:00 AM (-0300)

SPR170152F5	453/2024	6004T50G01	SHROUD SEGMENT,TURBINE,AIRCRAFT -	99207 - GEN 2	US\$ 1,034	Sep 18, 2024, 11:00 AM (-0300)
SPR171001F9	453/2024	ULD-410	ULTRASONIC LEAK DETECTOR - GAS LEAK DETECTOR - AMPROBE	0VJ05 - AMP 1	US\$ 1,701.33	Sep 18, 2024, 11:00 AM (-0300)
SPR172001F9	453/2024	857641-3140	BOSE A30 AVIATION HEADSET (6-PIN LEMO) - HEADSET WITH TWO-WAY COMMUNICATION LEMO CONTACT	32108 - BOS 1	US\$ 1,515.8	Sep 18, 2024, 11:00 AM (-0300)
SPR178001GS	453/2024	912-4854-04	CHARGE BATTERY 48VDC, 18A, 100-240V, 50/60HZ, 12-6A - Must contain harness adapter for Polaris 02, 02B or 05 (ADAP-Harness-Polaris)	L0FV0 - DEL 1	US\$ 752.25	Sep 18, 2024, 11:00 AM (-0300)
SPR185016A2	453/2024	41-0190-1	MOTOR,DIRECT CURRENT - ALT PN A7610 - NSN 6105-01-418-6951	72914 - GRIF 20	US\$ 291.73	Sep 18, 2024, 11:00 AM (-0300)
SPR137002F5	454/2024	37B201714P115	O-RING -	99207 - GEN 5	US\$ 39.99	Sep 18, 2024, 11:00 AM (-0300)
SPR144007U8	454/2024	TBGT060102L TN60	INDEXABLE INSERT FOR TURNING - .156 INCHES INSCRIBED CIRCLE DIAMETER X .0625 THICK X .09 HOLE THRU X 5 DEG SIDE CLEARANCE	6LL30 - U.S./ 10	US\$ 30.99	Sep 18, 2024, 11:00 AM (-0300)
SPR144011U8	454/2024	TBGT060102L KW10	CARBIDE INSERT - .156 inches inscribed circle diameter X .0625 thick X .09 hole thru X 5 deg side clearance	6LL30 - U.S./ 10	US\$ 31.58	Sep 18, 2024, 11:00 AM (-0300)
SPR144016U8	454/2024	WBGT060102L-F TN60	CARBIDE INSERT - .144 INCHES INSCRIBED CIRCLE DIAMETER X .0625 THICK X .090 HOLE THRU X 5 DEG SIDE CLEARANCE	6LL30 - U.S./ 10	US\$ 32.6	Sep 18, 2024, 11:00 AM (-0300)
SPR144022U8	454/2024	TPGH110302L KW10	60° TRIANGLE POSITIVE WITH HOLE TPGH "FINISHING" - .25 INCHES INSCRIBED CIRCLE DIAMETER X .125 THICK X .130 HOLE THRU X 11 DEG SIDE CLEARANCE	6LL30 - U.S./ 10	US\$ 24.3	Sep 18, 2024, 11:00 AM (-0300)
SPR144023U8	454/2024	TPGH110302L TN60	CARBIDE TURNING INSERT - .25 INCHES INSCRIBED CIRCLE DIAMETER X .125 THICK X .130 HOLE THRU X 11 DEG SIDE CLEARANCE	6LL30 - U.S./ 10	US\$ 24.3	Sep 18, 2024, 11:00 AM (-0300)
GLQ308075P3	455/2024	MS20010H36	BOLT,INTERNAL WRENCHING - NSN: 5306005846675 - TECHNICAL ORDER: 01-75PAA-4-5, F005-00, ITEM 26	96906 - MILI 33	US\$ 72.89	Sep 18, 2024, 11:00 AM (-0300)
SPR106003F5	456/2024	10W025-20C32	WASHER -	0JRC1 - NOR 900	US\$ 3.36	Sep 18, 2024, 11:00 AM (-0300)
SPR164014F5	457/2024	14-43031-27	TUBE -	76823 - NOR 2	US\$ 706.06	Sep 18, 2024, 11:00 AM (-0300)
GLR082012P3	424/2024	M6A	MAGNETOMETER,TEST,L - MAGNETOMETER,TEST,LABORATORY - NSN: 6625000214307 - T.O. NAVAIR 01-75PAA-2-50, CHANGE 15 - DESCRIPTION: RANGE,0.5 TO 1000 MILLIGAUSSES IN 3 RANGES; 10,100 AND 1000 MILLIGAUSSES FULL SCALE; INDICATING INSTRUMENT 2 PCT ACCURACY; MULTIPLIER RESISTORS 1 PCT; LINEAR OUTPUT; SELF DEMAGNETIZING; POWER RQMTS,115V,60 HZ,40W; TWO PIECE ENAMELED ALUMINUM CASE W/HANDLE; 7.0 IN. X 7.0 IN. X 11.0 IN. CLOSED CASE.	03044 - IRW 1	US\$ 45,602.45	Sep 19, 2024, 11:00 AM (-0300)
LSR225005A2	425/2024	K-2029	COUPLING,HOSE -	59603 - TRO 1	US\$ 2,239.57	Sep 19, 2024, 11:00 AM (-0300)
LSR225006A2	425/2024	K-4098	DRAIN HOSE (KIT DRAIN HOSE ASSEMBLY) -	59603 - TRO 1	US\$ 649.38	Sep 19, 2024, 11:00 AM (-0300)
LSR225003A2	425/2024	K-1550	PARTS KIT,VEHICULAR WHEEL -	1RBA3 - TRC 1	US\$ 201.11	Sep 19, 2024, 11:00 AM (-0300)
GLRR11001P3	426/2024	0864611110000	<p>DEFECT: LED POWER ON, BUT THE CLP DOES NOT WORK.</p> <p>ITEM NAME : COMPUTER, DIGITAL</p> <p>*** IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS:</p> <p>1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE #</p> <p>2) FIXED EVALUATION FEE.</p> <p>3) SERVICE OFFERED WARRANTY.</p> <p>4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. ***</p> <p>IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DECLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12)</p> <p>ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 45 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS.</p> <p>THE TEARDOWN REPORT MUST HAVE:</p> <p>1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES.</p> <p>2 - ESTIMATED DELIVERY DATE.</p> <p>3 - SERVICE WARRANTY.</p> <p>4 - FIXE EVALUATION FEE.</p> <p>ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL.</p> <p>ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE PROVIDED PRIOR TO THE UNIT SHIPMENT.</p>	0177B - INDI 1	US\$ 40,901.97	Sep 23, 2024, 11:00 AM (-0300)

GLRR10904P3	426/2024	0864611110000	<p>COMPUTER, DIGITAL</p> <p>DEFECT: CLP DOES NOT WORK. DEFECTIVE POWER SOURCE.</p> <p> *** IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS:</p> <p>1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE #</p> <p>2) FIXED EVALUATION FEE.</p> <p>3) SERVICE OFFERED WARRANTY.</p> <p>4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. ***</p> <p>IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DESCCLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12)</p> <p>ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 15 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS.</p> <p>THE TEARDOWN REPORT MUST HAVE:</p> <p>1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES.</p> <p>2 - ESTIMATED DELIVERY DATE.</p> <p>3 - SERVICE WARRANTY.</p> <p>4 - FIXE EVALUATION FEE.</p> <p>ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL.</p> <p>ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE PROVIDED PRIOR TO THE UNIT SHIPMENT.</p> <p>ATTENTION: UNITS DEEMED BER/BPR RETURNING AS IS, A TEARDOWN REPORT MUST BE PROVIDED PRIOR TO THE UNIT</p>	0177B - INDI 1	US\$ 40,901.97	Sep 23, 2024, 11:00 AM (-0300)
GLRR10903P3	426/2024	0864611110000	<p>COMPUTER, DIGITAL</p> <p>DEFECT: CLP DOES NOT WORK. DEFECTIVE POWER SOURCE.</p> <p> *** IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS:</p> <p>1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE #</p> <p>2) FIXED EVALUATION FEE.</p> <p>3) SERVICE OFFERED WARRANTY.</p> <p>4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. ***</p> <p>IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DESCCLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12)</p> <p>ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 15 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS.</p> <p>THE TEARDOWN REPORT MUST HAVE:</p> <p>1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES.</p> <p>2 - ESTIMATED DELIVERY DATE.</p> <p>3 - SERVICE WARRANTY.</p> <p>4 - FIXE EVALUATION FEE.</p> <p>ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL.</p> <p>ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE PROVIDED PRIOR TO THE UNIT SHIPMENT.</p> <p>ATTENTION: UNITS DEEMED BER/BPR RETURNING AS IS, A TEARDOWN REPORT MUST BE PROVIDED PRIOR TO THE UNIT</p>	0177B - INDI 1	US\$ 40,901.97	Sep 23, 2024, 11:00 AM (-0300)

GLRR10902P3	426/2024	0864611110000	<p>COMPUTER, DIGITAL</p> <p>DEFECT: CLP SHUTS DOWN SUDDENLY AFTER START</p> <p>*** IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS:</p> <p>1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE #</p> <p>2) FIXED EVALUATION FEE.</p> <p>3) SERVICE OFFERED WARRANTY.</p> <p>4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. ***</p> <p>IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DESCCLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12)</p> <p>ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 15 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS.</p> <p>THE TEARDOWN REPORT MUST HAVE:</p> <p>1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES.</p> <p>2 - ESTIMATED DELIVERY DATE.</p> <p>3 - SERVICE WARRANTY.</p> <p>4 - FIXE EVALUATION FEE.</p> <p>ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL.</p> <p>ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE PROVIDED PRIOR TO THE UNIT SHIPMENT.</p>	0177B - IND	1	US\$ 40,901.97	Sep 23, 2024, 11:00 AM (-0300)
GLRP23501C8	463/2024		<p>FLIGHT DATABASE SERVICE PRO LINE FUSION, INCLUDE: WORLD FUSION DB BASE, IFIS AND ENROUTE CHARTS - ACFT # 2856 - S/N 39000007</p> <p>OCT24 - SEP25</p>		1	US\$ 29,156.16	Sep 23, 2024, 11:00 AM (-0300)
GLRP23502C8	463/2024		<p>FLIGHT DATABASE SERVICE PRO LINE FUSION, INCLUDE: WORLD FUSION DB BASE, IFIS AND ENROUTE CHARTS - ACFT # 2855 - S/N 39000006</p> <p>OCT24 - SEP25</p>		1	US\$ 29,156.16	Sep 23, 2024, 11:00 AM (-0300)
GLRP23503C8	463/2024		<p>FLIGHT DATABASE SERVICE PRO LINE FUSION, INCLUDE: WORLD FUSION DB BASE, IFIS AND ENROUTE CHARTS - ACFT # 2854 - S/N 39000005</p> <p>OCT24 - SEP25</p>		1	US\$ 29,156.16	Sep 23, 2024, 11:00 AM (-0300)
GLRP22804C8	463/2024		<p>FLIGHT DATABASE SERVICE PRO LINE FUSION, INCLUDE: WORLD FUSION DB BASE, IFIS AND ENROUTE CHARTS - ACFT # 2857 - S/N 39000008</p> <p>OCT24 - SEP25</p>		1	US\$ 29,156.16	Sep 23, 2024, 11:00 AM (-0300)
SPR144018U8	398/2024	WBG060102L-F KW10	80° HEXAGON TYPE POSITIVE WITH HOLE WBG0 "FINISHING" - .144 INCHES INSCRIBED CIRCLE DIAMETER X .0625 THICK X .090 HOLE THRU X 5 DEG SIDE CLEARANCE	6LL30 - U.S./	10	US\$ 34.17	Sep 24, 2024, 11:00 AM (-0300)
SPR144019U8	398/2024	TPGH090202L KW10	INDEXABLE INSERT FOR TURNING - .2188 INCHES INSCRIBED CIRCLE DIAMETER X .0937 THICK X .11 HOLE THRU X 11 DEG SIDE CLEARANCE	6LL30 - U.S./	10	US\$ 24.82	Sep 24, 2024, 11:00 AM (-0300)
SPR144020U8	398/2024	TPGH090202L TN60	60° TRIANGLE POSITIVE WITH HOLE TPGH "FINISHING" - .2188 INCHES INSCRIBED CIRCLE DIAMETER X .0937 THICK X .11 HOLE THRU X 11 DEG SIDE CLEARANCE	6LL30 - U.S./	10	US\$ 29.68	Sep 24, 2024, 11:00 AM (-0300)
G1R228003EN	438/2024		Locking Pin - Accessory to secure mats together		1040	US\$ 44.27	Sep 25, 2024, 11:00 AM (-0300)

			<p>FOR OVERHAUL</p> <p>Item Name: FAN, VANEAXIAL</p> <p>Discrepancy: PERFORM OVERHAUL</p> <p>Item Images Link: https://docs.google.com/document/d/1Q2f5qTG3GZTufROY2SDVsHvdLu6ew6K5_UVjwEW_3g/edit?usp=sharing</p> <p>*** IMPORTANT: YOU MUST INFORM ON THE RFQ'S REMARKS:</p> <p>1) YOUR COMPANY'S FAA OR EASA # OR SIMILAR CERTIFICATE #</p> <p>2) FIXED EVALUATION FEE.</p> <p>3) SERVICE OFFERED WARRANTY.</p> <p>4) FOR EXCHANGE UNITS, YOU MUST INFORM THE SN AND CONDITION OF THE UNIT OFFERED. ***</p> <p>IMPORTANT: FAILURE TO PROVIDE THE INFORMATION REQUESTED ABOVE MAY RESULT ON YOUR COMPANY'S DECLASSIFICATION FROM THIS RFQ PROCESS. (T&C CHAPTER III - PRICE PROPOSALS 3.12)</p> <p>ATTENTION: UPON RECEIPT OF THE UNIT BY THE WINNING COMPANY FOR REPAIR/OVERHAUL SERVICE, AN INITIAL ASSESSMENT MUST BE CARRIED OUT AT THE UNIT, AND A TEARDOWN REPORT WITH THE RESULT OF THE EVALUATION, MUST BE PROVIDED WITHIN 15 BUSINESS DAYS. IF THE TEARDOWN REPORT CANNOT BE PROVIDED WITHIN 15 BUSINESS DAYS, THE COMPANY MUST INFORM THE REASON WITHIN 10 WORKING DAYS.</p> <p>THE TEARDOWN REPORT MUST HAVE:</p> <p>1 - DETAILS ALL SERVICES TO BE EXECUTED ON THE UNIT AND LIST ALL PART NUMBERS NEEDED TO BE REPLACED AND/OR PURCHASED IN ORDER TO REPAIR/OVERHAUL THE UNIT WITH THEIR INDIVIDUAL PRICES.</p> <p>2 - ESTIMATED DELIVERY DATE.</p> <p>3 - SERVICE WARRANTY.</p> <p>4 - FIXE EVALUATION FEE.</p> <p>ATTENTION: THE SERVICE CAN ONLY BE PERFORMED UPON RECEIVING CABW FINAL WRITTEN APPROVAL.</p>				
GLRR16201R2	437/2024	4100438A	<p>ATTENTION: UNITS RETURNED WITH SERVICE PERFORMED FOR THE SAME PRICE AS THE PO, AN EMAIL NOTICE MUST BE</p>	55820 - UNIF	1	US\$ 35,475.51	Sep 25, 2024, 11:00 AM (-0300)
G1R214029IU	438/2024		<p>Inflatable tent with 5 arches 4 doors - 9,95x5,60x2,80m - 56m2, 4 Doors (2 frontal + 2 lateral), 6 Windows, 8 HVAC sleeves; the tents including: anchoring kit, transport bag. Color: NATO Green;</p> <p>The tents including system inflation kit with basic On/Off Inflation for tent (5 Arches) - 1500W for 220V/50Hz; The tents including lighting kit with LED 42W; 1 Elec. Distr. Box + 2 Extension Cable 5m + 4 LED Lamp 42W + 1 bag electrical distrib. Box 220V/50Hz; Inner insulation Liner for 5A Tent - Toptex</p>		4	US\$ 23,328.69	Sep 25, 2024, 11:00 AM (-0300)
G1R228002EN	438/2024		<p>Dura-Base advanced composite mat for temporary access roads, equipment laydown pads, heli-pads, taxi aprons, parking areas for aircraft and other heavy equipment, when working in soft or unstable soils in the Amazon region. Outside dimension: 8' x 14' or 2.44m x 4.27m and surface: 7' x 13' or 2.13m x 3.96m.</p>		240	US\$ 2,646.77	Sep 25, 2024, 11:00 AM (-0300)
G1R228005EN	438/2024		<p>The tool kit set is composed of 01 locking tool, 01 positioning bar, and 01 pin extractor for Dura-Base Mat</p>		5	US\$ 1,004.2	Sep 25, 2024, 11:00 AM (-0300)
G1R228006EN	438/2024		<p>Dura-Base Ramp - 6.5' x 2.5ft wide / Requires two (2) ramps to connect to the long-end of the mat of the "raised lip" / 2 locking pins required per ramp (8 total)</p>		8	US\$ 820	Sep 25, 2024, 11:00 AM (-0300)
G1R228007EN	438/2024		<p>Spacer Support - Dura-Base accessoru to connect on the opposite side of the mat on the "raised lip", it requires the Spacer Support (13' long X 24" wide)</p>		2	US\$ 1,400	Sep 25, 2024, 11:00 AM (-0300)
G1R239002IU	438/2024		<p>A Mud Cap would be a protective cover placed over the locking pin to shield it from mud, dirt, debris, and other contaminants, ensuring the pin's proper function and longevity</p>		1350	US\$ 1.5	Sep 25, 2024, 11:00 AM (-0300)
LSR123003GP	439/2024	285418	<p>WHEEL,PNEUMATIC TIRE - Tire with wheel 205/65-10 (20.5x8R10) // without tube // 90psi // maximum load: 750kg(1650lbs). With application in tractor generators. Reference Pn 285418, from the manufacturer HOBART or similar.</p>	41843 - HOB	60	US\$ 742.516	Sep 25, 2024, 11:00 AM (-0300)
LSR144002GP	439/2024	W10502-031	<p>FUSE 15A -</p>	41843 - HOB	2	US\$ 13.15	Sep 25, 2024, 11:00 AM (-0300)
LSR157007GP	439/2024	367634A-003	<p>SUPPRESSOR, SURGE, ASSEMBLY -</p>	41843 - HOB	4	US\$ 268.33	Sep 25, 2024, 11:00 AM (-0300)
LSR162009GP	439/2024	3687Y016	<p>WATER PUMP GASKET -</p>	13446 - PERI	17	US\$ 12.8	Sep 25, 2024, 11:00 AM (-0300)
LSR162012GP	439/2024	578100	<p>POWER MODULE 90 KVA -</p>	R1221 - ITW	4	US\$ 12,352.31	Sep 25, 2024, 11:00 AM (-0300)
LSR207015GP	439/2024	83B-1100-2	<p>CASTOR WITH BRAKE - CASTOR WITH BRAKE</p>	41843 - HOB	20	US\$ 225.35	Sep 25, 2024, 11:00 AM (-0300)
LSR212007GP	439/2024	290927	<p>12VDC TIMER RELAY - 12VDC TIMER RELAY</p>	41843 - HOB	7	US\$ 245.05	Sep 25, 2024, 11:00 AM (-0300)
LSR213009GP	439/2024	289606	<p>TIRE, 20.5 X 8.00 z 10 - Tire, 20.5 x 8.00 - 10</p>	0SMN2 - ITV	4	US\$ 1,187.17	Sep 25, 2024, 11:00 AM (-0300)
LSR213010GP	439/2024	292197	<p>TIRE, 20.5 X 8.00 - 10 AY 6 LUG - TIRE, 20.5 X 8.00 - 10 AY 6 LUG</p>	41843 - HOB	20	US\$ 998.52	Sep 25, 2024, 11:00 AM (-0300)
LSR213011GP	439/2024	TI2000-022	<p>CONVERTER BOARD - CONVERTER BOARD</p>	0VWE2 - TES	45	US\$ 752.03	Sep 25, 2024, 11:00 AM (-0300)
LSR222002GP	440/2024	283212A	<p>DRIVER PCB ASSY - DRIVER PCB ASSY</p>	41843 - HOB	7	US\$ 210.59	Sep 25, 2024, 11:00 AM (-0300)
LSR222003GP	440/2024	489169	<p>TANK FUEL - TANK FUEL</p>	41843 - HOB	8	US\$ 2,304.63	Sep 25, 2024, 11:00 AM (-0300)
LSR222004GP	440/2024	291550	<p>TANK,FUEL,ENGINE - TANK,FUEL,ENGINE</p>	41843 - HOB	8	US\$ 5,438.71	Sep 25, 2024, 11:00 AM (-0300)
LSR226013GP	440/2024	287592-001	<p>FILTER, FUEL / WATER SEPARATOR - FILTER, FUEL / WATER SEPARATOR</p>	28835 - HOB	5	US\$ 819.85	Sep 25, 2024, 11:00 AM (-0300)
LSR232001GP	440/2024	291420	<p>TANK,FUEL,ENGINE - TANK,FUEL,ENGINE</p>	41843 - HOB	8	US\$ 5,441.43	Sep 25, 2024, 11:00 AM (-0300)
LSR232004GP	440/2024	289618-001	<p>CONTACTOR, OUTPUT - CONTACTOR, OUTPUT</p>	41843 - HOB	4	US\$ 1,039.82	Sep 25, 2024, 11:00 AM (-0300)
LSR233003GP	440/2024	3929330	<p>BELT - BELT</p>	15434 - CUN	6	US\$ 93.35	Sep 25, 2024, 11:00 AM (-0300)

LSR233005GP	440/2024	41342	SENDER, FUEL LEVEL - SENDER, FUEL LEVEL	08786 - TAYI 4	US\$ 243.82	Sep 25, 2024, 11:00 AM (-0300)
LSR234001GP	440/2024	282569	FILTER - AIR CLEANER (V18265 #ECC06-5002)	41843 - HOB 15	US\$ 171.02	Sep 25, 2024, 11:00 AM (-0300)
LSR235001GP	440/2024	FF42000	FILTER ELEMENT,FLUID - FILTER,FLUID	33457 - CUN 10	US\$ 52.41	Sep 25, 2024, 11:00 AM (-0300)
LSR235003GP	441/2024	AM0131	AIR FILTER - Air Filter	05MN2 - ITV 10	US\$ 126.12	Sep 25, 2024, 11:00 AM (-0300)
LSR235005GP	441/2024	283213A	PC BOARD - PC BOARD	41843 - HOB 5	US\$ 1,446.66	Sep 25, 2024, 11:00 AM (-0300)
LSR235008GP	441/2024	283212A	DRIVER PCB ASSY - LOAD CONTROL ASSY	41843 - HOB 2	US\$ 210.59	Sep 25, 2024, 11:00 AM (-0300)
G1R215001EN	445/2024		FAA-861E(L) AC 150/5345-46 (current edition) Led Elevated Runway Threshold/End Light, Medium-Intensity, Bidirectional Red/Green, 14" OAH with 2" coupling, 11TPI2 to CCR, without arctic option, standard configuration cord set. Compliance with ICAO Annex 14, Vol. I, par. 5.3.9.7 to 5.3.9.9. https://adbsafegate.com/documents/2729/en/manual-l-861-led-l-861e-led-emis-l	38	US\$ 453.73	Sep 25, 2024, 11:00 AM (-0300)
G1R218004EN	445/2024		FAA-861(L) AC 150/5345-46 (current edition) Led Elevated Runway Edge Light, Medium-Intensity, Omnidirectional White, 14" OAH with 2" coupling, 11TPI2 to CCR, without arctic option, standard configuration cord set. Compliance with ICAO Annex 14, Vol. I, par. 5.3.9.7 to 5.3.9.9. https://adbsafegate.com/documents/2729/en/manual-l-861-led-l-861e-led-emis-l	81	US\$ 373.21	Sep 25, 2024, 11:00 AM (-0300)
G1R218010EN	445/2024		FAA-861(L) AC 150/5345-46 (current edition) Led Elevated Runway Threshold/End Light, Medium-Intensity, Bidirectional White/Yellow, 14" OAH with 2" coupling, 11TPI2 to CCR, without arctic option, standard configuration cord set. Compliance with ICAO Annex 14, Vol. I, par. 5.3.9.7 to 5.3.9.9. https://adbsafegate.com/documents/2729/en/manual-l-861-led-l-861e-led-emis-l	95	US\$ 405.62	Sep 25, 2024, 11:00 AM (-0300)
G1R221011EN	445/2024		Base 867B, 12" diameter, 24 inches overall height, 2 inch coupling, Two openings at 0°, 180°. Subject to aircraft or surface vehicle loads. http://adbsafegate.com/documents/2808/en/data-sheet-deep-bases	34	US\$ 253.52	Sep 25, 2024, 11:00 AM (-0300)
G1R227006EN	445/2024		A704 Solar Airfield Light - Color Red/Green / Infrared (IR) - Standard - Chassi Olive Grab - Wireless - Military Cargo Port https://adbsafegate.com/product-center/airfield/?prod=solar-airfield-light--high	14	US\$ 3,106.61	Sep 25, 2024, 11:00 AM (-0300)
G1R227008EN	445/2024		A650 Solar Airfield Light - Color Blue (IR) - Switched - Wireless - Military Cargo Port https://adbsafegate.com/product-center/airfield/heliport-lighting/solar-airfield-light	38	US\$ 1,225.92	Sep 25, 2024, 11:00 AM (-0300)
G1R227021EN	445/2024		FAA L-823 AC 150/5345-26 (current edition) - Primary cable connector kit conforms to FAA L-823 Style 3 plug and Style 10 receptacle with crimp-on pin and socket contacts. One kit is required for each cable splice or transformer installation.	500	US\$ 20.4	Sep 25, 2024, 11:00 AM (-0300)
G1R227023EN	445/2024		Secondary Extension Cable – 8m length, 2/C #12AWG with connectors Style 1 and Style 7 to connect the light to the secondary winding of the series transformer. Thermoplastic insulated waterproof cable with overall jacketed rated 600V/20A, 90°C.	576	US\$ 100.97	Sep 25, 2024, 11:00 AM (-0300)
G1R227026EN	445/2024		FAA L-830-1 AC 150/5345-47 (current edition) - Series Circuit Isolation Transformers, Rated 30/45Watts, Frequency 60Hz, 6.6A, isolation 5KV.	275	US\$ 92.43	Sep 25, 2024, 11:00 AM (-0300)
G1R241001EN	445/2024		A704 Solar Airfield Light - Color White / Infrared (IR) - Standard - Chassi Olive Grab - Wireless - Military Cargo Port https://adbsafegate.com/product-center/airfield/?prod=solar-airfield-light--high	55	US\$ 3,245.84	Sep 25, 2024, 11:00 AM (-0300)
GLR180001F4	442/2024	68-1264	PACKING,PREFORMED -	97153 - GOC 50	US\$ 178.82	Sep 26, 2024, 11:00 AM (-0300)
SPR094004T2	401/2024	1216C160-000D	PLATE,COVER	F0554 - ALKJ 5	US\$ 1,318.9	Sep 27, 2024, 11:00 AM (-0300)
ABR236001MI	462/2024		Environmental Control Unit, Alaska, 5-Ton, green, 220V; Heigth 24 3/8, width 51 ¼ , Depth 41 ¼ weight 505 lbs, frequency 60hz, number of phases three (3) number of wires five (5)	18	US\$ 26,914.89	Sep 30, 2024, 11:00 AM (-0300)
ABR228012MI	462/2024		Disco BUNK Bed with Side Organizer, green - Kit consisting of: Arm-O-Bunk with Organizers OD Green (PN 19793MB/O-GRX), Leg Extensions Flat Pack - Set of 4 (PN 19802/TAN-F) and Round Foot Pad Set Bag Pack - Set of 4 (PN 19847N/BAG)	300	US\$ 410	Sep 30, 2024, 11:00 AM (-0300)
ABR233001MI	462/2024		Alaska 20' x 32.5' XP Shelter®, version 2, green, 20' x 32.5' XP-V2 Shelter P/N:AK-XP-2032.5-V2/L60 • Weight: 90 lbs. • Packed dimensions: 24" x 24" x 24". PARTS INCLUDED: Powder coated aluminum frame, mil-spec 15oz vinyl cover, double-layer insulated end panels, 15oz non-slip vinyl floor, (2) sets of end uprights, (1) zip-in/zip-out 30" x 80" aluminum hard door, (1) 48" x 84" zipper entry, (14) windows, (2) vestibule connector flaps, (1) shelter connector flap, (1) one-piece liner, (1) plenum, (2) sets of 18" ECU ports, (2) 6" electrical cable ports, (28) double-headed spikes, (12) guy ropes, (12) guy spikes, (1) spike puller, (1) wood crate and 30-day spares/repair kit. SUPPORT EQUIPMENT INCLUDED: (10) LED lights (2) AK-EL-REL3 - Receptable lines with (12) 110V outlets per line (1) AK-EL-_DB01 - Single phase Power Distribution Box with (2) 20A GFCI Breakers, (1) 20A Breaker, (4) Twist Lock Cable Connectors and (1) Light Switch (1) AK-EL-PC - 50', 20A Power Cable (1) AK-XP-2032.5 FLO - 15oz Non-Slip Vinyl Floor, Grey	27	US\$ 36,056.27	Sep 30, 2024, 11:00 AM (-0300)

			Alaska 6-Shelter Power Distribution System, green; This power distribution system includes generator pigtails, power cabling and an exterior power distribution panel. The power distribution system is properly sized for operation from 120/208v/3ph/60Hz power. Specific details of each component are listed below: VOLTAGE; 120/208 Volts Frequency; 60hertz Number of phases: three. Included: (1) AK-EL-6SPDP01 - 6 Shelter Power Distribution Panel (1) AK-EL-5PC02-5' Generator Pigtail CAM Set (1) AK-EL-100PCCC02 - 100' Main Power CAM Feeder Set (2) AK-EL-50PCMSC01 - 60 Power Cable, 50' (2) AK-EL-100PCMSC01 - 60A Power Cable, 100' (4) AK-EL-PC150 - 20A Power Cable, 150'				
ABR235002MI	462/2024				7	US\$ 41,976.37	Sep 30, 2024, 11:00 AM (-0300)
ABR235003MI	462/2024		Sub Flooring Alaska (Square Feet)		20800	US\$ 4.03	Sep 30, 2024, 11:00 AM (-0300)